

Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

U. S. DEPARTMENT OF AGRICULTURE
Agricultural Marketing Service - Cotton Program
Memphis, Tennessee

UNITED STATES

Cotton Quality Report



DA MATH/AGRIC LIBRARY
001 FEB -5 A 8:06
RECEIVED RECORDS
ACQ/SIGNALS BRANCH

Classings Through December 29, 2005

Table 1. -- **United States** : Distribution of color, leaf and staple for upland cotton classed through December 30, 2005

QUALITY	LEAF	STAPLE								
COLOR		26 & - Bales	28 Bales	29 Bales	30 Bales	31 Bales	32 Bales	33 Bales	34 Bales	34 & - Bales
11 & 21	1-2	1	4	140	2,746	17,231	70,107	208,380	390,634	689,243
	3	-	7	97	2,521	20,420	87,565	292,460	625,979	1,029,049
	4	-	1	12	523	4,893	17,972	38,243	80,330	141,974
	5	-	-	-	40	485	2,146	2,545	2,452	7,668
	6	-	-	-	-	14	141	118	60	333
	7	-	-	-	-	-	7	1	3	11
TOTAL----		1	12	249	5,830	43,043	177,938	541,747	1,099,458	1,868,278
31	1-2	-	-	9	231	2,305	16,619	54,394	87,099	160,657
	3	-	2	52	1,092	12,338	100,716	528,220	1,354,831	1,997,251
	4	-	2	37	600	6,478	41,568	192,365	644,556	885,606
	5	-	-	9	165	1,937	9,112	17,525	32,223	60,971
	6	-	-	2	16	435	2,084	3,410	2,482	8,429
	7	-	-	-	2	48	221	525	190	986
TOTAL----		-	4	109	2,106	23,541	170,320	796,439	2,121,381	3,113,900
41	1-2	-	1	1	26	194	1,598	5,639	8,401	15,860
	3	-	-	25	173	2,147	22,989	179,133	529,113	733,580
	4	-	1	12	199	2,020	15,637	124,789	554,145	696,803
	5	-	-	3	43	788	3,438	12,482	42,273	59,027
	6	-	-	3	43	356	1,285	3,134	5,477	10,298
	7	-	-	-	3	97	396	1,021	631	2,148
TOTAL----		-	2	44	487	5,602	45,343	326,198	1,140,040	1,517,716
51	1-2	-	-	-	-	9	62	217	518	806
	3	-	-	1	12	135	1,869	13,850	44,865	60,732
	4	-	-	-	2	63	1,214	14,487	65,974	81,740
	5	-	-	-	-	23	302	1,891	6,872	9,088
	6	-	-	-	-	10	103	495	1,736	2,344
	7	-	-	-	-	5	36	152	515	708
TOTAL----		-	-	1	14	245	3,586	31,092	120,480	155,418
61	1-2	-	-	-	-	-	1	6	13	20
	3	-	-	-	-	1	23	84	297	405
	4	-	-	-	-	3	20	105	368	496
	5	-	-	-	-	-	1	13	83	97
	6	-	-	-	-	-	-	4	10	14
	7	-	-	-	-	-	-	-	2	2
TOTAL----		-	-	-	-	4	45	212	773	1,034
71	1-2	-	-	-	-	-	-	1	5	6
	3	-	-	-	-	1	1	8	9	19
	4	-	-	-	-	-	3	-	3	6
	5	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	1	4	9	17	31
12 & 22	1-2	-	1	21	146	1,076	4,619	9,533	10,780	26,176
	3	-	-	16	245	1,980	9,680	23,821	35,400	71,142
	4	-	-	4	95	573	2,021	5,216	9,136	17,045
	5	-	-	1	7	62	210	424	439	1,143
	6	-	-	-	-	2	35	16	15	68
	7	-	-	-	-	-	5	2	-	7
TOTAL----		-	1	42	493	3,693	16,570	39,012	55,770	115,581
32	1-2	-	-	2	30	233	1,446	2,948	2,849	7,508
	3	-	-	22	363	2,370	15,545	53,782	88,163	160,245
	4	-	-	15	287	1,954	9,543	32,532	75,887	120,218
	5	-	-	-	47	446	1,732	3,416	5,532	11,173
	6	-	-	-	8	49	290	515	487	1,349
	7	-	-	-	-	4	50	83	47	184
TOTAL----		-	-	39	735	5,056	28,606	93,276	172,965	300,677
42	1-2	-	-	-	-	28	166	459	470	1,123
	3	-	-	16	107	752	5,172	23,786	55,320	85,153
	4	-	-	5	103	800	6,012	30,635	107,992	145,547
	5	-	-	2	33	286	1,441	5,283	14,495	21,540
	6	-	-	-	20	124	423	1,145	1,819	3,531
	7	-	-	-	8	38	107	171	268	592
TOTAL----		-	-	23	271	2,028	13,321	61,479	180,364	257,486
52	1-2	-	-	-	2	3	35	59	82	181
	3	-	-	3	23	126	1,215	8,507	22,144	32,018
	4	-	-	9	24	104	1,039	11,829	46,554	59,559
	5	-	-	1	2	17	178	1,704	6,851	8,753
	6	-	-	-	-	6	37	258	850	1,151
	7	-	-	-	-	-	12	58	158	228
TOTAL----		-	-	13	51	256	2,516	22,415	76,639	101,890

Table 1. -- **United States**: Distribution of color, leaf and staple for upland cotton classed through December 30, 2005

QUALITY	LEAF	STAPLE								
		26 & -	28	29	30	31	32	33	34	34 & -
COLOR		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
62	1-2	-	-	-	-	-	4	1	1	6
	3	-	-	-	1	9	52	350	1,177	1,589
	4	-	-	-	-	6	52	641	2,846	3,545
	5	-	-	-	-	2	5	60	455	522
	6	-	-	-	-	-	3	10	43	56
	7	-	-	-	-	-	-	4	8	12
TOTAL----		-	-	-	1	17	116	1,066	4,530	5,730
13 & 23	1-2	-	-	1	10	87	482	879	994	2,453
	3	-	-	3	5	101	618	1,530	3,019	5,276
	4	-	-	1	8	44	161	404	758	1,376
	5	-	-	-	4	1	34	75	48	162
	6	-	-	-	-	-	6	1	2	9
	7	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	5	27	233	1,301	2,889	4,821	9,276
33	1-2	-	-	1	7	25	142	288	347	810
	3	-	-	1	27	126	762	2,112	3,766	6,794
	4	-	-	1	24	126	473	1,388	2,535	4,547
	5	-	-	3	10	42	130	337	396	918
	6	-	-	-	1	11	38	81	59	190
	7	-	-	-	-	-	-	4	13	17
TOTAL----		-	-	6	69	330	1,545	4,210	7,116	13,276
43	1-2	-	-	-	-	2	11	35	49	97
	3	-	-	-	7	43	360	1,474	2,915	4,799
	4	-	-	2	7	61	409	1,395	3,706	5,580
	5	-	-	-	3	61	140	309	577	1,090
	6	-	-	-	1	16	70	126	109	322
	7	-	-	-	-	3	10	31	45	89
TOTAL----		-	-	2	18	186	1,000	3,370	7,401	11,977
53	1-2	-	-	-	-	2	3	3	4	12
	3	-	-	-	3	8	80	567	1,063	1,721
	4	-	-	-	2	11	82	762	2,743	3,600
	5	-	-	-	-	11	36	123	360	530
	6	-	-	-	-	3	4	27	74	108
	7	-	-	-	-	-	-	6	14	20
TOTAL----		-	-	-	5	35	205	1,488	4,258	5,991
63	1-2	-	-	-	-	1	3	12	1	17
	3	-	-	-	-	1	7	39	156	203
	4	-	-	-	5	11	25	75	423	539
	5	-	-	-	1	-	18	35	74	128
	6	-	-	-	-	1	1	1	3	6
	7	-	-	-	-	-	-	1	1	2
TOTAL----		-	-	-	6	14	54	163	658	895
24-54	1-7	-	1	4	11	61	187	597	1,170	2,031
25-35	1-7	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	2	13	28	54	66	163
All Colors	8 2/	-	-	-	1	19	117	485	163	785
TOTAL, ALL----		1	20	537	10,127	84,377	462,802	1,926,201	4,998,070	7,482,135

Table 1. -- **United States**: Distribution of color, leaf and staple for upland cotton classed through December 30, 2005

QUALITY	LEAF	STAPLE						
		35	36	37	38	39	40 &+	TOTAL
		Bales	Bales	Bales	Bales	Bales	Bales	Bales
11 & 21	1-2	490,044	407,659	248,419	93,261	43,597	12,553	1,984,776
	3	785,132	623,930	401,276	90,019	43,020	19,425	2,991,851
	4	106,210	85,171	50,470	7,202	1,145	1,336	393,508
	5	2,848	2,065	1,088	163	31	20	13,883
	6	65	50	18	5	-	-	471
	7	3	2	1	-	-	6	17
TOTAL----		1,384,302	1,118,877	701,272	190,650	87,793	33,334	5,384,506
31	1-2	75,021	42,292	20,226	8,833	6,162	5,173	318,364
	3	1,414,594	617,924	200,173	39,235	25,309	12,724	4,307,210
	4	974,888	553,369	174,636	18,402	3,946	2,334	2,613,181
	5	48,138	35,790	17,273	2,487	354	71	165,084
	6	2,394	1,788	927	113	7	-	13,658
	7	94	86	46	6	-	-	1,218
TOTAL----		2,515,129	1,251,249	413,281	69,076	35,778	20,302	7,418,715
41	1-2	5,597	2,083	813	123	23	22	24,521
	3	532,529	193,000	41,342	3,628	425	126	1,504,630
	4	947,720	510,924	115,647	7,044	570	135	2,278,843
	5	96,365	68,518	22,231	1,806	161	26	248,134
	6	9,150	6,408	2,742	281	9	-	28,888
	7	825	594	357	19	1	-	3,944
TOTAL----		1,592,186	781,527	183,132	12,901	1,189	309	4,088,960
51	1-2	397	87	21	3	1	-	1,315
	3	52,908	24,993	7,236	560	18	-	146,447
	4	115,953	74,423	22,522	1,689	3	43	296,373
	5	13,847	11,881	4,547	433	40	-	39,836
	6	2,783	2,253	529	24	2	-	7,935
	7	777	668	157	1	-	-	2,311
TOTAL----		186,665	114,305	35,012	2,710	117	2	494,229
61	1-2	3	2	1	-	1	-	27
	3	422	288	69	4	-	-	1,188
	4	905	767	237	21	-	-	2,426
	5	163	138	48	2	-	-	448
	6	34	28	15	-	-	-	91
	7	2	5	-	-	-	-	9
TOTAL----		1,529	1,228	370	27	1	-	4,189
71	1-2	3	-	-	-	-	-	9
	3	10	8	3	-	-	-	40
	4	21	5	1	-	-	-	33
	5	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-
TOTAL----		34	13	4	-	-	-	82
12 & 22	1-2	8,457	4,479	1,711	541	134	147	41,645
	3	31,489	16,309	6,133	720	494	343	126,630
	4	9,384	5,252	2,135	212	68	106	34,202
	5	518	315	127	14	4	2	2,123
	6	21	22	2	-	-	-	113
	7	-	1	-	-	-	-	8
TOTAL----		49,869	26,378	10,108	1,487	700	598	204,721
32	1-2	1,581	717	349	184	121	168	10,628
	3	66,219	22,793	5,666	1,218	960	754	257,855
	4	87,160	37,499	8,613	784	356	403	255,033
	5	6,598	4,257	1,628	225	89	19	23,989
	6	473	411	168	24	2	2	2,429
	7	48	49	19	2	-	-	302
TOTAL----		162,079	65,726	16,443	2,437	1,528	1,346	550,236
42	1-2	328	141	77	24	20	2	1,715
	3	57,373	21,213	4,304	447	126	34	168,650
	4	165,847	84,554	16,678	748	110	30	413,514
	5	26,922	19,093	4,823	212	57	2	72,649
	6	2,225	1,549	536	68	4	-	7,913
	7	329	194	100	2	-	-	1,217
TOTAL----		253,024	126,744	26,518	1,501	317	68	665,658
52	1-2	62	21	7	1	-	-	272
	3	24,483	9,829	1,664	101	5	2	68,102
	4	69,799	36,941	7,803	290	14	-	174,406
	5	12,363	8,246	2,176	67	3	-	31,608
	6	1,425	986	257	12	1	-	3,832
	7	249	143	48	1	1	1	671
TOTAL----		108,381	56,166	11,955	472	24	3	278,891

Table 1. -- **United States**: Distribution of color, leaf and staple for upland cotton classed through December 30, 2005

QUALITY	LEAF	STAPLE							TOTAL
		35	36	37	38	39	40 &+	35 to 40+	
COLOR		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
62	1-2	2	1	1	-	-	-	4	10
	3	1,515	570	49	1	-	-	2,135	3,724
	4	3,762	1,603	289	4	2	-	5,660	9,205
	5	613	293	70	2	1	-	979	1,501
	6	69	45	9	2	-	-	125	181
	7	1	1	1	-	-	-	3	15
TOTAL---		5,962	2,513	419	9	3	-	8,906	14,636
13 & 23	1-2	1,115	452	111	14	7	14	1,713	4,166
	3	2,939	1,686	451	24	36	23	5,159	10,435
	4	689	387	131	16	2	8	1,233	2,609
	5	54	30	4	-	-	-	88	250
	6	1	2	-	-	-	-	3	12
	7	-	-	-	-	-	-	-	-
TOTAL----		4,798	2,557	697	54	45	45	8,196	17,472
33	1-2	323	151	57	17	7	3	558	1,368
	3	3,794	2,200	977	235	121	131	7,458	14,252
	4	3,123	2,070	954	127	57	120	6,451	10,998
	5	453	400	237	36	9	7	1,142	2,060
	6	50	56	26	2	-	-	134	324
	7	9	3	1	1	-	-	14	31
TOTAL----		7,752	4,880	2,252	418	194	261	15,757	29,033
43	1-2	45	20	25	2	1	-	93	190
	3	3,004	1,422	474	66	33	11	5,010	9,809
	4	5,082	3,073	923	75	37	24	9,214	14,794
	5	691	525	211	52	16	6	1,501	2,591
	6	120	91	73	16	1	-	301	623
	7	35	25	17	4	-	-	81	170
TOTAL----		8,977	5,156	1,723	215	88	41	16,200	28,177
53	1-2	3	-	2	1	-	-	6	18
	3	1,127	383	84	5	1	2	1,602	3,323
	4	4,131	1,748	238	5	4	1	6,127	9,727
	5	628	302	48	2	-	-	980	1,510
	6	94	46	23	1	-	-	164	272
	7	23	34	12	1	1	-	71	91
TOTAL----		6,006	2,513	407	15	6	3	8,950	14,941
63	1-2	1	-	-	-	-	-	1	18
	3	281	47	2	1	-	-	331	534
	4	738	192	14	-	1	-	945	1,484
	5	121	32	-	-	-	-	153	281
	6	14	3	-	-	-	-	17	23
	7	1	1	-	-	-	-	2	4
TOTAL----		1,156	275	16	1	1	-	1,449	2,344
24-54	1-7	1,348	960	447	67	43	7	2,872	4,903
25-35	1-7	-	3	-	-	-	-	3	3
81-85 1/	1-7	79	67	46	11	2	2	207	370
All Colors	8 2/	224	129	52	1	-	-	406	1,191
TOTAL, ALL----		6,289,500	3,561,266	1,404,154	282,052	127,829	56,321	11,721,122	19,203,257
EXTRANEEOUS MATTER									
Bark - Level 1		428,046							
Bark - Level 2		461							
Grass - Level 1		62,052							
Grass - Level 2		1,037							
Prep - Level 1		14,438							
Prep - Level 2		63							
Other - Level 1		7,144							
Other - Level 2		42							

Average Staple ----- **34.9**
Percent Tenderable ----- **73.4**

19,203,257 bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf.

Table 2. -- **United States**: Percent distribution of color, leaf and staple for upland cotton classed:
December 30, 2005

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	*	*	*	*	0.1	0.4	1.1	2.0	2.6	2.1	1.3	0.5	0.2	0.1	10.3
	3	-	*	*	*	0.1	0.5	1.5	3.3	4.1	3.2	2.1	0.5	0.2	0.1	15.6
	4	-	*	*	*	*	0.1	0.2	0.4	0.6	0.4	0.3	*	*	*	2.0
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	TOTAL----	*	*	*	*	0.2	0.9	2.8	5.7	7.2	5.8	3.7	1.0	0.5	0.2	28.0
31	1-2	-	-	*	*	*	0.1	0.3	0.5	0.4	0.2	0.1	*	*	*	1.7
	3	-	*	*	*	0.1	0.5	2.8	7.1	7.4	3.2	1.0	0.2	0.1	0.1	22.4
	4	-	*	*	*	*	0.2	1.0	3.4	5.1	2.9	0.9	0.1	*	*	13.6
	5	-	-	*	*	*	*	0.1	0.2	0.3	0.2	0.1	*	*	*	0.9
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL----	-	*	*	*	0.1	0.9	4.1	11.0	13.1	6.5	2.2	0.4	0.2	0.1	38.6
41	1-2	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	3	-	-	*	*	*	0.1	0.9	2.8	2.8	1.0	0.2	*	*	*	7.8
	4	-	*	*	*	*	0.1	0.6	2.9	4.9	2.7	0.6	*	*	*	11.9
	5	-	-	*	*	*	*	0.1	0.2	0.5	0.4	0.1	*	*	*	1.3
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.2
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL----	-	*	*	*	*	0.2	1.7	5.9	8.3	4.1	1.0	0.1	*	*	21.3
51	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	3	-	-	*	*	*	*	0.1	0.2	0.3	0.1	*	*	*	-	0.8
	4	-	-	*	*	*	*	0.1	0.3	0.6	0.4	0.1	*	*	*	1.5
	5	-	-	-	-	*	*	*	*	0.1	0.1	*	*	*	-	0.2
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	TOTAL----	-	-	*	*	*	0.2	0.6	1.0	0.6	0.2	*	*	*	*	2.6
61	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	TOTAL----	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
71	1-2	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	-	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
12 & 22	1-2	-	*	*	*	*	*	*	0.1	*	*	*	*	*	*	0.2
	3	-	-	*	*	*	*	0.1	0.2	0.2	0.1	*	*	*	*	0.7
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.2
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	*	*	-	-	-	-	-	-	-	*
	TOTAL----	-	*	*	*	*	0.1	0.2	0.3	0.3	0.1	*	*	*	*	1.1
32	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	3	-	-	*	*	*	0.1	0.3	0.5	0.3	0.1	*	*	*	*	1.3
	4	-	-	*	*	*	*	0.2	0.4	0.5	0.2	*	*	*	*	1.3
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	TOTAL----	-	-	*	*	*	0.1	0.5	0.9	0.8	0.3	0.1	*	*	*	2.9
42	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	*	*	*	*	0.1	0.3	0.3	0.1	*	*	*	*	0.9
	4	-	-	*	*	*	*	0.2	0.6	0.9	0.4	0.1	*	*	*	2.2
	5	-	-	*	*	*	*	*	0.1	0.1	0.1	*	*	*	*	0.4
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	TOTAL----	-	-	*	*	*	0.1	0.3	0.9	1.3	0.7	0.1	*	*	*	3.5
52	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	3	-	-	*	*	*	*	*	0.1	0.1	*	*	*	*	*	0.4
	4	-	-	*	*	*	*	0.1	0.2	0.4	0.2	*	*	*	-	0.9
	5	-	-	*	*	*	*	*	*	0.1	*	*	*	*	-	0.2
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	TOTAL----	-	-	*	*	*	0.1	0.4	0.6	0.3	0.1	*	*	*	*	1.5

* Less than 0.05 percent.

Table 2. -- **United States**: Percent distribution of color, leaf and staple for upland cotton classed:
December 30, 2005

QUALITY		LEAF	STAPLE														TOTAL
COLOR			26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
			Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
62	1-2	-	-	-	-	-	*	*	*	*	*	*	*	-	-	-	
	3	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*	
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*	
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*	
	7	-	-	-	-	-	-	*	*	*	*	*	*	-	-	-	
TOTAL----			-	-	-	*	*	*	*	*	*	*	*	*	-	0.1	
13 & 23	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	5	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*	
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----			-	-	*	*	*	*	*	*	*	*	*	*	*	0.1	
33	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1	
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1	
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*	
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*	
TOTAL----			-	-	*	*	*	*	*	*	*	*	*	*	*	0.2	
43	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	-	
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1	
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*	
TOTAL----			-	-	*	*	*	*	*	*	*	*	*	*	*	0.1	
53	1-2	-	-	-	-	*	*	*	*	*	-	*	*	*	-	*	
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*	
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*	
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*	
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
TOTAL----			-	-	-	*	*	*	*	*	*	*	*	*	*	0.1	
63	1-2	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*	
	3	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*	
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	5	-	-	-	*	-	*	*	*	*	*	-	-	*	-	*	
	6	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*	
	7	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*	
TOTAL----			-	-	-	*	*	*	*	*	*	*	*	*	-	*	
24-54	1-7	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
25-35	1-7	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*	
81-85 1/	1-7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
All Colors	8 2/	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*	
TOTAL, ALL----			*	*	*	*	0.4	2.4	10.0	26.0	32.8	18.5	7.3	1.5	0.7	0.3	100.0
EXTRANEOUS MATTER																	
Bark - Level 1			2.2														
Bark - Level 2			*														
Grass - Level 1			0.3														
Grass - Level 2			*														
Prep - Level 1			0.1														
Prep - Level 2			*														
Other - Level 1			*														
Other - Level 1			*														
				</													

Table 3. -- **Alabama**: Percent distribution of color, leaf and staple for upland cotton classed:
December 30, 2005

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	*	*	0.1	0.1	*	*	*	-	-	-	0.3
	3	-	-	-	-	*	0.2	0.8	1.5	0.9	0.4	0.1	*	-	-	4.0
	4	-	-	-	-	*	*	0.2	0.5	0.4	0.2	*	*	-	-	1.4
	5	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	0.3	1.1	2.1	1.4	0.7	0.1	*	-	-	5.7
31	1-2	-	-	-	-	*	*	0.2	0.3	0.1	*	*	-	-	-	0.6
	3	-	-	-	-	*	0.9	5.7	11.4	8.6	3.2	0.7	*	*	-	30.5
	4	-	-	-	-	*	0.6	3.6	9.4	10.0	4.5	1.0	*	*	-	29.2
	5	-	-	-	-	*	*	0.2	0.5	0.6	0.3	0.1	*	-	-	1.6
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	TOTAL----	-	-	-	-	0.1	1.5	9.6	21.6	19.3	8.1	1.8	*	*	*	62.0
41	1-2	-	-	-	-	*	*	0.1	0.1	*	*	*	-	-	-	0.2
	3	-	-	-	-	*	0.3	2.2	4.1	3.3	1.2	0.2	*	*	-	11.4
	4	-	-	-	-	*	0.2	1.3	3.8	5.0	2.7	0.9	*	*	-	14.0
	5	-	-	-	-	*	*	0.2	0.4	0.6	0.4	0.1	*	*	-	1.9
	6	-	-	-	-	-	*	*	*	0.1	*	*	*	-	-	0.2
	7	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	TOTAL----	-	-	-	-	*	0.6	3.7	8.5	9.1	4.3	1.3	0.1	*	-	27.6
51	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	0.1	0.1	*	*	*	-	-	-	0.2
	4	-	-	-	-	*	*	*	0.1	0.1	*	*	*	-	-	0.3
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	TOTAL----	-	-	-	-	*	0.1	0.2	0.1	0.1	*	*	-	-	-	0.6
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	*	*	-	-	-	-	-
	4	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
12 & 22	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
32	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	0.1	0.3	0.3	0.2	0.1	*	*	-	-	1.0
	4	-	-	-	-	*	*	0.1	0.3	0.4	0.2	*	*	-	-	1.0
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	*	0.1	0.4	0.7	0.6	0.3	*	*	*	-	2.1
42	1-2	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	0.1	0.1	0.1	0.1	*	*	-	-	0.4
	4	-	-	-	-	*	*	0.1	0.2	0.3	0.2	0.1	*	*	-	0.9
	5	-	-	-	-	*	*	*	0.1	0.1	*	*	*	*	-	0.2
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	TOTAL----	-	-	-	-	*	0.2	0.4	0.5	0.3	0.1	*	*	*	-	1.5
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	-
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	TOTAL----	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1

* Less than 0.05 percent.

Table 3. -- **Alabama** : Percent distribution of color, leaf and staple for upland cotton classed:
December 30, 2005

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	*	-	-	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL—		-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
33	1-2	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
43	1-2	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
TOTAL—		-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
TOTAL—		-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	-	-	-	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
24-54	1-7	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
All Colors	8 2/	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
TOTAL, ALL—		-	-	-	-	0.1	2.5	15.3	33.6	31.2	13.8	3.4	0.1	*	*	100.0
EXTRANEEOUS MATTER		Average Staple														34.5
		Percent Tenderable														86.6
Bark - Level 1	1.7															
Bark - Level 2	"															
Grass - Level 1	0.2															
Grass - Level 2	"															
Prep - Level 1	0.2															
Prep - Level 2	-															
Other - Level 1	*															
Other - Level 1	-															

785,602 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 4. — **Arizona**: Percent distribution of color, leaf and staple for upland cotton classed:
December 30, 2005

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	*	*	0.1	0.9	5.1	15.0	19.7	12.2	1.9	0.4	*	55.3
	3	-	-	-	-	-	*	0.3	1.4	4.2	5.5	4.3	0.8	0.2	*	16.7
	4	-	-	-	-	*	*	0.1	0.2	0.4	0.2	0.2	*	*	*	1.1
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	*	*	0.1	1.3	6.7	19.7	25.5	16.6	2.7	0.6	*	73.3
31	1-2	-	-	-	-	*	*	0.4	1.7	3.0	2.6	1.3	0.2	*	*	9.3
	3	-	-	-	-	*	*	0.3	1.2	2.7	2.6	1.3	0.2	0.1	*	8.4
	4	-	-	-	-	*	*	0.1	0.2	0.2	0.2	0.2	*	*	*	0.9
	5	-	-	-	-	-	*	*	0.1	0.1	*	*	*	*	*	0.3
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	7	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	TOTAL----	-	-	-	-	*	0.1	0.9	3.2	6.0	5.4	2.8	0.5	0.1	*	19.0
41	1-2	-	-	-	-	*	*	0.1	0.3	0.3	0.2	*	-	-	-	0.9
	3	-	-	-	-	*	*	0.2	0.6	0.8	0.4	0.1	*	*	-	2.2
	4	-	-	-	-	-	*	*	0.1	0.1	0.1	*	*	*	-	0.4
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	TOTAL----	-	-	-	-	*	0.3	1.0	1.2	0.7	0.2	*	*	-	-	3.6
51	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	TOTAL----	-	-	-	-	-	*	0.1	0.1	*	*	*	-	-	-	0.2
61	1-2	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
12 & 22	1-2	-	-	-	-	-	*	*	0.1	0.3	0.3	0.1	*	*	-	0.9
	3	-	-	-	-	*	*	*	0.2	0.6	0.5	0.2	*	*	*	1.5
	4	-	-	-	-	*	*	*	*	0.2	0.1	*	*	-	-	0.4
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	*	-	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	0.1	0.4	1.0	0.9	0.3	*	*	*	-	2.7
32	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	3	-	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	-	0.3
	4	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	-	-	0.3
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	TOTAL----	-	-	-	-	*	0.1	0.3	0.2	0.1	*	*	*	-	-	0.9
42	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	4	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	TOTAL----	-	-	-	-	*	0.1	0.1	*	*	*	*	*	-	-	0.3
52	1-2	-	-	-	-	-	-	-	-	*	-	*	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	*	*	-	*	*	*	-	-	-	*
	7	-	-	-	-	-	*	*	-	*	*	*	-	-	-	*
	TOTAL----	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*

* Less than 0.05 percent.

Table 4. -- **Arizona** : Percent distribution of color, leaf and staple for upland cotton classed:
December 30, 2005

QUALITY		LEAF	STAPLE														TOTAL	
COLOR			26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +		
			Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.		
62	1-2		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	4		-	-	-	-	-	*	*	*	-	-	-	-	-	*		
	5		-	-	-	-	-	*	*	*	-	-	-	-	-	*		
	6		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL----			-	-	-	-	-	*	*	*	-	-	-	-	-	*		
13 & 23	1-2		-	-	-	-	-	-	*	*	*	*	*	-	-	*		
	3		-	-	-	-	-	-	*	*	*	*	*	-	-	*		
	4		-	-	-	-	-	-	*	*	*	*	*	-	-	*		
	5		-	-	-	-	-	-	*	*	*	*	*	-	-	*		
	6		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL----			-	-	-	-	-	-	*	*	*	*	*	-	-	*		
33	1-2		-	-	-	-	-	-	*	*	*	*	*	-	-	*		
	3		-	-	-	-	-	*	*	*	*	*	*	-	-	*		
	4		-	-	-	-	-	-	*	*	*	*	*	-	-	*		
	5		-	-	-	-	-	*	*	*	*	*	*	-	-	*		
	6		-	-	-	-	-	*	*	*	*	*	*	-	-	*		
	7		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL----			-	-	-	-	-	*	*	*	*	*	*	-	-	*		
43	1-2		-	-	-	-	-	*	*	*	*	*	*	-	-	*		
	3		-	-	-	-	-	*	*	*	*	*	*	-	-	*		
	4		-	-	-	-	-	*	*	*	*	*	*	-	-	*		
	5		-	-	-	-	-	*	*	*	*	*	*	-	-	*		
	6		-	-	-	-	*	*	*	*	*	*	*	-	-	*		
	7		-	-	-	-	-	-	-	*	*	*	*	-	-	*		
TOTAL----			-	-	-	-	*	*	*	*	*	*	*	-	-	*		
53	1-2		-	-	-	-	-	*	*	*	*	*	*	-	-	*		
	3		-	-	-	-	-	*	*	*	*	*	*	-	-	*		
	4		-	-	-	*	*	*	*	*	*	*	*	-	-	*		
	5		-	-	-	-	*	*	*	*	*	*	*	-	-	*		
	6		-	-	-	-	-	*	*	*	*	*	*	-	-	*		
	7		-	-	-	-	-	-	*	*	*	*	*	-	-	*		
TOTAL----			-	-	-	*	*	*	*	*	*	*	*	-	-	*		
63	1-2		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3		-	-	*	-	-	*	-	-	-	-	-	-	-	*		
	4		-	-	-	*	*	*	*	-	-	-	-	-	-	*		
	5		-	-	-	*	-	*	*	-	-	-	-	-	-	*		
	6		-	-	-	-	*	*	-	-	-	-	-	-	-	*		
	7		-	-	-	-	-	*	-	-	-	-	-	-	-	-		
TOTAL----			-	-	-	*	*	*	*	-	-	-	-	-	-	*		
24-54	1-7		-	-	-	-	*	*	*	*	*	*	-	-	-	*		
25-35	1-7		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
81-85 1/	1-7		-	-	-	*	*	*	*	*	-	*	*	-	-	*		
All Colors	8 2/		-	-	-	-	-	*	*	*	*	*	*	-	-	*		
TOTAL, ALL----			-	-	-	*	*	0.3	2.7	11.6	28.4	32.8	20.2	3.2	0.7	0.1	100.0	
EXTRANEIOUS MATTER																	Average Staple	35.7
																	Percent Tenderable	69.7
Bark - Level 1			0.6															
Bark - Level 2			*															
Grass - Level 1			0.2															
Grass - Level 2			*															
Prep - Level 1			*															
Prep - Level 2			-															
Other - Level 1			0.3															
Other - Level 1			*															

426,230 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 5. -- **Arkansas**: Percent distribution of color, leaf and staple for upland cotton classed:
December 30, 2005

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	*	*	0.1	0.1	*	*	*	-	-	0.4
	3	-	-	-	*	*	*	0.2	1.0	1.7	0.6	0.1	*	*	-	3.6
	4	-	-	-	-	-	*	*	0.1	0.2	0.1	*	*	*	-	0.4
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	*	*	*	0.3	1.3	2.0	0.8	0.1	*	*	-	4.4
31	1-2	-	-	-	-	-	*	0.1	0.2	0.1	*	*	-	-	-	0.4
	3	-	-	-	*	*	0.1	1.7	7.8	10.8	4.1	0.5	*	*	-	25.0
	4	-	-	-	*	*	*	0.7	4.6	9.4	4.8	0.6	*	*	-	20.2
	5	-	-	-	-	-	*	*	0.1	0.2	0.1	*	*	*	-	0.4
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	*	*	0.2	2.5	12.6	20.5	9.0	1.2	*	*	-	46.0
41	1-2	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	*	*	*	0.6	2.4	3.9	1.3	0.1	*	*	-	8.3
	4	-	-	-	*	*	*	0.7	4.6	11.9	6.1	0.7	*	*	-	24.1
	5	-	-	-	-	-	*	*	0.3	1.1	0.7	0.1	*	*	-	2.2
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
TOTAL----		-	-	-	*	*	0.1	1.3	7.4	16.9	8.1	0.9	*	*	-	34.7
51	1-2	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
TOTAL----		-	-	-	-	-	*	*	0.1	*	*	*	*	-	-	0.2
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
12 & 22	1-2	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	-	-	0.1
	4	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	*	*	*	*	0.1	*	*	*	*	-	-	0.1
32	1-2	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	*	*	*	0.3	0.9	0.9	0.3	*	*	*	-	2.4
	4	-	-	-	-	*	*	0.2	0.8	1.2	0.5	0.1	*	-	-	2.8
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	-	*	-	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	*	*	0.1	0.5	1.7	2.1	0.8	0.1	*	*	-	5.4
42	1-2	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	*	*	*	0.2	0.6	0.8	0.3	*	*	-	-	1.9
	4	-	-	-	-	*	*	0.3	1.4	2.6	1.3	0.2	*	-	-	5.8
	5	-	-	-	-	-	*	*	0.2	0.4	0.3	0.1	*	*	-	1.0
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
TOTAL----		-	-	-	*	*	0.1	0.5	2.2	3.8	1.9	0.3	*	*	-	8.8
52	1-2	-	-	-	-	-	*	*	-	*	-	-	-	-	-	*
	3	-	-	-	*	-	*	*	-	*	-	-	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
TOTAL----		-	-	-	*	*	*	*	0.1	*	*	*	*	-	-	0.1

* Less than 0.05 percent.

Table 5. -- **Arkansas**: Percent distribution of color, leaf and staple for upland cotton classed:
December 30, 2005

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
13 & 23	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
33	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
43	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	TOTAL—	-	-	-	-	*	*	*	*	0.1	*	*	*	*	*	0.2
53	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	TOTAL—	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
63	1-2	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	3	-	-	*	-	-	-	-	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
24-54	1-7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
All Colors	8 2/	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
TOTAL, ALL—		-	-	-	*	*	0.5	5.1	25.3	45.7	20.7	2.6	*	*	-	100.0
EXTRANEEOUS MATTER																Average Staple 34.9
Bark - Level 1	0.3															Percent Tenderable 74.3
Bark - Level 2	-															
Grass - Level 1	0.1															
Grass - Level 2	*															
Prep - Level 1	*															
Prep - Level 2	*															
Other - Level 1	*															
Other - Level 2	-															

2,092,054 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 6. -- **California**: Percent distribution of color, leaf and staple for upland cotton classed:
December 30, 2005

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	*	*	0.2	0.9	2.6	4.8	9.1	7.9	4.2	1.2	31.0
	3	-	-	-	-	*	*	0.1	0.3	1.8	6.6	14.7	6.8	4.2	1.9	36.4
	4	-	-	-	-	-	*	-	*	0.1	0.4	0.8	0.3	0.1	0.1	1.9
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	*	*	*	0.2	1.3	4.4	11.9	24.7	15.0	8.4	3.3	69.3
31	1-2	-	-	-	-	*	*	0.2	0.5	0.7	0.5	0.7	0.8	0.6	0.5	4.5
	3	-	-	-	-	*	*	0.1	0.3	1.3	3.0	5.1	3.0	2.5	1.3	16.5
	4	-	-	-	-	*	*	*	*	0.2	1.0	2.2	0.7	0.3	0.2	4.7
	5	-	-	-	-	-	*	*	*	*	0.1	0.3	0.1	*	*	0.5
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	TOTAL----	-	-	-	-	*	*	0.2	0.9	2.2	4.6	8.3	4.5	3.4	2.0	26.1
41	1-2	-	-	-	-	-	*	0.1	0.2	0.1	*	*	*	*	*	0.4
	3	-	-	-	-	-	*	*	0.1	0.2	0.2	0.1	0.1	*	*	0.8
	4	-	-	-	-	*	*	*	*	0.1	0.2	0.2	*	*	*	0.6
	5	-	-	-	-	*	*	*	*	*	*	0.1	*	*	*	0.2
	6	-	-	-	-	-	*	-	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	TOTAL----	-	-	-	-	*	*	0.1	0.3	0.4	0.4	0.5	0.1	*	*	2.0
51	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	*	*	-	-	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	TOTAL----	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
61	1-2	-	-	-	-	-	-	*	*	*	*	-	-	*	-	*
	3	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	*	*	*	*	-	-	*	-	*
71	1-2	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
12 & 22	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.2
	3	-	-	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	0.4
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	*	*	*	0.1	0.1	0.2	0.1	0.1	0.1	0.6
32	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	3	-	-	-	-	*	*	*	*	*	0.1	0.1	0.1	0.1	0.1	0.5
	4	-	-	-	-	-	*	*	*	*	*	0.1	*	*	*	0.3
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	*	-	*	-	-	-	*
	TOTAL----	-	-	-	-	*	*	*	*	0.1	0.2	0.3	0.2	0.1	0.1	1.0
42	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	TOTAL----	-	-	-	-	-	*	*	*	*	0.1	0.1	0.1	*	*	0.4
52	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	*	*	-	-	*	*	*
	TOTAL----	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*

* Less than 0.05 percent.

Table 6. -- **California**: Percent distribution of color, leaf and staple for upland cotton classed:
December 30, 2005

QUALITY		LEAF	STAPLE															
COLOR	26 & -		28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL		
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.		
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	4	-	-	-	-	-	-	-	-	-	*	-	-	-	-	-		
	5	-	-	-	-	-	-	-	-	*	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	*	-	*	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL----		-	-	-	-	-	-	-	*	*	*	*	-	*	-	*		
13 & 23	1-2	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*		
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*		
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*		
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL----		-	-	-	-	-	-	-	*	*	*	*	*	*	*	*		
33	1-2	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*		
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1		
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1		
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*		
	6	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*		
TOTAL----		-	-	-	-	*	*	*	*	*	0.1	*	*	*	*	0.2		
43	1-2	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*		
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*		
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*		
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*		
	6	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*		
	7	-	-	-	-	-	-	-	-	*	-	*	*	-	-	*		
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1		
53	1-2	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*		
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*		
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*		
	5	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*		
	6	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*		
	7	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*		
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	*	*	*	*		
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	-	*	-	*	-	-	*		
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL----		-	-	-	-	-	-	-	-	-	*	-	*	-	-	*		
24-54	1-7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*		
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
81-85 1/	1-7	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*		
All Colors	8 2/	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*		
TOTAL, ALL----		-	-	-	*	*	0.1	0.6	2.6	7.4	17.3	34.1	20.0	12.2	5.6	100.0		
EXTRANEEOUS MATTER																Average Staple	37.2	
																Percent Tenderable	94.7	
Bark - Level 1		0.6																
Bark - Level 2		*																
Grass - Level 1		0.4																
Grass - Level 2		*																
Prep - Level 1		*																
Prep - Level 2		*																
Other - Level 1		0.1																
Other - Level 1		*																

994,500 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 7. -- **Florida**: Percent distribution of color, leaf and staple for upland cotton classed:
December 30, 2005

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	-	*	0.1	0.1	*	*	-	-	-	0.3
	3	-	-	-	-	-	-	0.1	1.1	1.7	0.5	*	-	-	-	3.5
	4	-	-	-	-	-	-	*	0.1	0.2	0.1	*	-	-	-	0.4
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	-	*	0.2	1.3	2.0	0.7	0.1	-	-	-	4.2
31	1-2	-	-	-	-	-	*	0.4	0.8	0.3	*	-	-	-	-	1.5
	3	-	-	-	-	*	0.2	3.6	17.2	19.1	4.7	0.4	*	-	-	45.3
	4	-	-	-	-	-	*	0.3	2.9	6.9	3.6	0.6	*	-	-	14.2
	5	-	-	-	-	-	-	-	*	0.1	0.1	*	-	-	-	0.2
	6	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	*	0.3	4.3	20.9	26.3	8.4	1.0	*	-	-	61.2
41	1-2	-	-	-	-	-	*	*	0.1	*	*	*	-	-	-	0.1
	3	-	-	-	-	-	0.1	2.4	9.6	7.3	1.5	0.2	-	-	-	21.1
	4	-	-	-	-	-	*	0.5	3.2	5.6	2.1	0.3	*	-	-	11.7
	5	-	-	-	-	-	-	*	*	0.1	0.1	*	-	-	-	0.2
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	-	0.1	2.9	12.9	13.0	3.7	0.5	*	-	-	33.1
51	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	0.1	0.4	0.1	*	*	-	-	-	0.7
	4	-	-	-	-	*	*	*	0.2	0.1	*	*	-	-	-	0.3
	5	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
TOTAL---		-	-	-	-	*	*	0.1	0.6	0.2	*	*	-	-	-	1.0
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
32	1-2	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1
	4	-	-	-	-	-	-	-	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	-	-	*	*	0.1	*	*	-	-	-	0.2
42	1-2	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	-	*	*	0.1	0.1	0.1	*	-	-	-	0.3
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	*	-	*	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	-	-	*	*	*	*	*	-	-	-	*

* Less than 0.05 percent.

Table 7. -- **Florida**: Percent distribution of color, leaf and staple for upland cotton classed:
December 30, 2005

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	-	-	-	-	*	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
24-54	1-7	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL, ALL—		-	-	-	-	*	0.4	7.6	35.7	41.7	12.9	1.6	*	-	-	100.0
EXTRANEEOUS MATTER																
Bark - Level 1		0.4														
Bark - Level 2		*														
Grass - Level 1		0.1														
Grass - Level 2		-														
Prep - Level 1		0.1														
Prep - Level 2		-														
Other - Level 1		-														
Other - Level 1		-														

109,036 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 8. -- **Georgia**: Percent distribution of color, leaf and staple for upland cotton classed:
December 30, 2005

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	*	*	*	0.1	0.1	*	*	-	-	-	0.3
	3	-	-	-	-	*	*	0.2	1.0	1.2	0.4	0.1	*	*	-	2.9
	4	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	-	0.3
	5	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	*	*	*	0.3	1.2	1.4	0.5	0.1	*	*	-	3.6
31	1-2	-	-	-	-	*	*	0.1	0.2	0.1	*	*	-	-	-	0.5
	3	-	-	-	*	*	0.1	2.4	10.3	11.7	3.2	0.5	*	*	*	28.2
	4	-	-	-	*	*	*	0.5	3.2	5.3	2.6	0.7	*	*	-	12.3
	5	-	-	-	*	-	*	*	*	0.1	0.1	*	*	*	-	0.2
	6	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
TOTAL---		-	-	-	*	*	0.2	3.0	13.7	17.2	5.9	1.2	*	*	*	41.3
41	1-2	-	-	-	-	*	*	*	0.1	*	*	-	-	-	-	0.1
	3	-	-	-	*	*	0.2	3.1	9.6	7.8	1.9	0.3	*	*	*	22.9
	4	-	-	-	*	*	0.1	1.7	7.9	10.2	4.4	1.2	0.1	*	*	25.5
	5	-	-	-	-	-	*	*	0.1	0.3	0.3	0.1	*	*	-	0.8
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
TOTAL---		-	-	-	*	*	0.3	4.8	17.6	18.4	6.6	1.6	0.1	*	*	49.5
51	1-2	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	*	*	*	0.2	0.4	0.3	0.1	*	*	*	-	1.0
	4	-	-	-	-	*	*	0.2	0.6	0.8	0.4	0.1	*	-	-	2.2
	5	-	-	-	-	*	*	*	*	0.1	*	*	*	*	-	0.2
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
TOTAL---		-	-	-	*	*	0.3	1.1	1.2	0.6	0.2	*	*	-	-	3.4
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
TOTAL---		-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
32	1-2	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	0.1	*	*	*	-	-	0.2
	4	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
TOTAL---		-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	-	-	0.3
42	1-2	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	3	-	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	-	0.3
	4	-	-	-	*	*	*	*	0.1	0.3	0.2	0.1	*	*	-	0.8
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
TOTAL---		-	-	-	*	*	*	0.1	0.2	0.4	0.3	0.1	*	*	-	1.2
52	1-2	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	-	*	0.1
	4	-	-	*	-	*	*	*	0.1	0.1	0.1	0.1	*	*	-	0.4
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
TOTAL---		-	-	*	-	*	*	0.1	0.2	0.2	0.1	*	*	*	*	0.6

* Less than 0.05 percent.

Table 8. -- **Georgia** : Percent distribution of color, leaf and staple for upland cotton classed:
December 30, 2005

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
TOTAL		-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
TOTAL		-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
33	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
TOTAL		-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
43	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
TOTAL		-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
TOTAL		-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	-	-	-	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
TOTAL		-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
24-54	1-7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
All Colors	8 2/	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
TOTAL, ALL		-	-	*	*	*	0.6	8.6	34.1	39.0	14.2	3.3	0.1	*	*	100.0
EXTRANEIOUS MATTER		Average Staple														34.7
		Percent Tenderable														91.6
Bark - Level 1		0.8														
Bark - Level 2		*														
Grass - Level 1		0.1														
Grass - Level 2		*														
Prep - Level 1		0.1														
Prep - Level 2		*														
Other - Level 1		*														
Other - Level 1		-														

1,917,313 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 9. -- **Kansas** : Percent distribution of color, leaf and staple for upland cotton classed:
December 30, 2005

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	*	*	*	*	*	0.2	0.4	0.2	0.1	*	-	-	1.0
	3	-	-	*	0.3	0.6	0.7	0.8	2.0	3.3	1.8	1.4	*	-	-	11.0
	4	-	-	*	0.3	0.7	2.3	1.0	0.7	0.9	0.5	0.2	*	-	-	6.7
	5	-	-	-	*	0.2	0.4	0.3	0.1	*	*	*	-	-	-	1.1
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	*	0.6	1.5	3.4	2.2	2.9	4.6	2.6	1.8	*	-	-	19.7
31	1-2	-	-	-	*	*	*	*	0.1	0.2	0.2	0.1	-	-	-	0.6
	3	-	-	-	0.1	0.5	0.9	1.3	2.1	3.0	2.5	2.4	0.1	-	-	12.7
	4	-	-	*	0.1	1.1	3.8	4.5	2.8	3.4	1.7	1.4	0.1	-	-	18.9
	5	-	-	*	0.1	1.2	5.0	5.7	1.4	1.1	0.5	0.3	*	-	-	15.3
	6	-	-	-	*	0.3	1.6	2.5	0.5	0.2	*	*	-	-	-	5.2
	7	-	-	-	-	*	0.2	0.5	0.1	*	*	-	-	-	-	0.9
	TOTAL----	-	-	*	0.3	3.1	11.5	14.5	7.0	7.8	4.9	4.2	0.2	-	-	53.6
41	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	0.1	0.1	*	*	-	-	0.3
	4	-	-	-	*	0.2	0.2	0.5	0.2	0.2	0.1	*	*	-	-	1.5
	5	-	-	-	*	0.5	1.3	1.5	0.5	0.4	0.1	*	-	-	-	4.2
	6	-	-	-	*	0.4	1.2	2.0	0.5	0.1	*	*	-	-	-	4.3
	7	-	-	-	-	0.1	0.5	1.2	0.2	*	*	*	-	-	-	2.0
	TOTAL----	-	-	-	0.1	1.1	3.2	5.2	1.6	0.8	0.3	0.1	*	-	-	12.2
51	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	*	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	*	*	-	-	0.1	*	*	-	-	0.2
	3	-	-	-	*	*	0.1	0.2	0.6	1.0	0.4	0.2	*	-	-	2.5
	4	-	-	-	*	0.1	0.3	0.2	0.3	0.3	0.1	*	-	-	-	1.4
	5	-	-	*	*	*	*	0.1	*	*	*	*	-	-	-	0.3
	6	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	*	0.1	0.2	0.4	0.4	0.9	1.4	0.6	0.3	*	*	-	4.3
32	1-2	-	-	-	-	-	-	-	-	-	0.1	*	-	*	-	0.1
	3	-	-	-	*	*	-	0.1	0.2	0.4	0.4	0.3	*	-	-	1.6
	4	-	-	-	*	0.1	0.2	0.3	0.4	0.4	0.3	0.2	*	-	-	1.9
	5	-	-	-	*	0.1	0.2	0.6	0.2	0.2	0.2	0.1	*	-	-	1.6
	6	-	-	-	*	*	0.1	0.2	0.1	0.1	*	*	-	-	-	0.5
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	0.1
	TOTAL----	-	-	-	*	0.2	0.6	1.2	0.9	1.1	1.0	0.7	*	*	-	5.9
42	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	*	*	-	0.1	*	*	*	*	-	-	-	0.2
	6	-	-	-	-	*	*	0.1	*	*	*	-	-	-	-	0.2
	7	-	-	-	-	-	0.1	0.1	*	*	*	-	-	-	-	0.2
	TOTAL----	-	-	-	*	-	0.1	0.3	0.1	0.1	0.1	*	-	-	-	0.7
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* Less than 0.05 percent.

Table 9. — **Kansas**: Percent distribution of color, leaf and staple for upland cotton classed:
December 30, 2005

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	3	-	-	-	-	-	-	-	0.1	0.2	0.1	-	-	-	-	0.5
	4	-	-	-	-	-	-	-	-	0.1	-	-	-	-	-	0.2
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	0.1	0.2	0.3	0.1	-	-	-	-	0.7
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	0.1	0.1	0.1	0.1	-	-	-	0.5
	4	-	-	-	-	-	-	0.1	0.2	0.1	-	-	-	-	-	0.5
	5	-	-	-	-	-	-	0.1	0.1	0.1	-	-	-	-	-	0.5
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	0.3	0.3	0.4	0.3	0.2	0.1	-	-	1.7
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	0.1	-	-	-	-	-	-	-	0.2
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	-	-	0.1	-	-	-	-	-	-	-	0.2
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Colors	8 2/	-	-	-	-	-	0.1	0.6	-	-	-	-	-	-	-	0.7
TOTAL, ALL—		-	-	-	1.1	6.1	19.4	25.0	14.0	16.5	10.0	7.4	0.3	-	-	100.0
EXTRANEEOUS MATTER																
Bark - Level 1	12.2															
Bark - Level 2	*															
Grass - Level 1	0.2															
Grass - Level 2	-															
Prep - Level 1	*															
Prep - Level 2	-															
Other - Level 1	0.1															
Other - Level 1	-															

64,342 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 10. -- **Louisiana**: Percent distribution of color, leaf and staple for upland cotton classed:
December 30, 2005

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	*	*	0.8	2.6	3.3	1.3	0.3	*	*	-	-	8.4
	3	-	-	-	*	*	0.6	2.9	6.0	4.3	1.5	0.3	*	*	-	15.5
	4	-	-	-	-	-	*	*	0.2	0.3	0.2	0.1	*	*	-	0.9
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	*	0.1	1.4	5.5	9.5	6.0	1.9	0.4	*	*	-	24.8
31	1-2	-	-	-	*	*	0.3	0.9	1.0	0.4	0.1	*	*	-	-	2.7
	3	-	-	-	*	*	1.2	6.6	15.5	11.1	3.6	0.6	*	*	-	38.7
	4	-	-	-	-	*	0.1	0.5	2.5	4.2	2.7	0.8	0.1	*	-	10.9
	5	-	-	-	-	-	*	*	*	0.1	0.2	0.1	*	*	-	0.5
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	*	0.1	1.6	8.1	19.1	15.9	6.5	1.5	0.2	*	-	52.8
41	1-2	-	-	-	-	*	*	0.1	0.1	*	*	*	-	-	-	0.2
	3	-	-	-	-	*	0.3	1.8	4.0	2.8	0.7	0.1	*	*	-	9.6
	4	-	-	-	-	*	0.1	0.4	1.6	2.6	1.6	0.4	*	*	*	6.7
	5	-	-	-	-	*	*	*	*	0.1	0.2	0.1	*	*	-	0.6
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	TOTAL----	-	-	-	-	*	0.4	2.3	5.7	5.5	2.5	0.7	0.1	*	*	17.1
51	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	TOTAL----	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.2
61	1-2	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	3	-	-	-	-	-	*	-	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	*	-	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	*	-	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	3	-	-	-	-	*	*	0.1	0.1	0.1	*	*	*	-	-	0.3
	4	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	*	*	*	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	*	0.1	0.1	0.1	0.1	*	*	-	-	0.5
32	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	0.2	0.3	0.3	0.2	*	*	*	-	1.1
	4	-	-	-	-	*	*	0.1	0.3	0.3	0.2	*	*	*	-	1.0
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	0.1	0.3	0.6	0.7	0.4	0.1	*	*	-	2.1
42	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	0.1	0.1	0.2	0.1	*	*	-	-	0.5
	4	-	-	-	-	*	*	0.1	0.3	0.4	0.3	0.1	*	*	-	1.3
	5	-	-	-	-	*	*	*	*	0.1	*	*	*	-	-	0.2
	6	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	0.1	0.4	0.7	0.5	0.2	*	*	-	-	2.0
52	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1

* Less than 0.05 percent.

Table 10. -- **Louisiana**: Percent distribution of color, leaf and staple for upland cotton classed:
December 30, 2005

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL, ALL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EXTRANEEOUS MATTER																
Bark - Level 1		*														
Bark - Level 2		*														
Grass - Level 1		0.2														
Grass - Level 2		*														
Prep - Level 1		*														
Prep - Level 2		*														
Other - Level 1		*														
Other - Level 1		-														

1,105,628 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 11. -- **Mississippi**: Percent distribution of color, leaf and staple for upland cotton classed:
December 30, 2005

QUALITY	LEAF	STAPLE														TOTAL
		26 -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	*	*	0.1	0.4	0.7	0.3	*	*	*	-	-	1.5
	3	-	-	-	*	*	0.2	1.1	2.6	2.1	0.6	0.2	*	*	-	6.7
	4	-	-	-	*	*	*	*	0.2	0.3	0.1	*	*	*	-	0.6
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL---	-	-	-	*	*	0.3	1.5	3.4	2.6	0.8	0.2	*	*	-	8.8
31	1-2	-	-	-	*	*	0.1	0.5	0.6	0.2	*	*	*	*	-	1.5
	3	-	-	-	*	*	0.8	5.3	12.6	10.5	3.0	0.7	*	*	*	32.9
	4	-	-	-	*	*	0.2	1.3	5.4	8.0	3.4	0.7	*	*	-	18.9
	5	-	-	-	-	*	*	*	0.1	0.3	0.1	*	*	*	-	0.6
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL---	-	-	-	*	0.1	1.1	7.1	18.7	19.0	6.6	1.4	0.1	*	*	53.9
41	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	3	-	-	-	-	*	0.1	1.0	2.5	2.1	0.6	0.1	*	*	-	6.5
	4	-	-	-	-	*	0.1	0.9	4.1	6.5	2.9	0.5	*	*	-	15.0
	5	-	-	-	-	*	*	0.1	0.4	0.9	0.5	0.1	*	*	-	2.0
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	TOTAL---	-	-	-	-	*	0.3	2.1	7.0	9.6	4.0	0.7	*	*	-	23.7
51	1-2	-	-	-	-	-	*	*	*	-	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	TOTAL---	-	-	-	-	*	*	*	0.1	*	*	*	*	-	-	0.2
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL---	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL---	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
12 & 22	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	*	*	*	*	0.1	0.1	*	*	*	*	-	0.2
	4	-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	-	-	*	*	*	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL---	-	-	-	*	*	*	*	0.1	0.1	*	*	*	*	-	0.3
32	1-2	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	*	*	0.1	0.4	0.8	0.7	0.2	*	*	*	*	2.1
	4	-	-	-	*	*	*	0.3	1.0	1.3	0.5	0.1	*	*	-	3.2
	5	-	-	-	-	*	*	*	*	0.1	*	*	*	*	-	0.2
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL---	-	-	-	*	*	0.1	0.7	1.9	2.1	0.7	0.1	*	*	*	5.6
42	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	0.1	0.4	0.4	0.4	0.1	*	*	*	-	1.0
	4	-	-	-	-	*	0.3	1.4	2.2	0.9	0.1	*	*	*	-	5.0
	5	-	-	-	-	*	*	0.2	0.4	0.2	*	*	*	*	-	0.9
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	TOTAL---	-	-	-	-	*	0.5	1.9	2.9	1.3	0.2	*	*	*	-	6.9
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	TOTAL---	-	-	-	-	*	*	*	0.1	*	*	*	-	-	-	0.2

* Less than 0.05 percent.

Table 11. -- **Mississippi**: Percent distribution of color, leaf and staple for upland cotton classed:
December 30, 2005

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL, ALL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EXTRANEEOUS MATTER																
Bark - Level 1	0.6															
Bark - Level 2	*															
Grass - Level 1	0.2															
Grass - Level 2	*															
Prep - Level 1	*															
Prep - Level 2	*															
Other - Level 1	*															
Other - Level 1	*															
2,088,880 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.																

Average Staple 34.6
Percent Tenderable 78.5

Table 12. — *Missouri*: Percent distribution of color, leaf and staple for upland cotton classed:
December 30, 2005

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	*	*	0.1	0.1	0.1	*	*	-	-	-	0.2
	3	-	-	-	-	*	*	0.2	0.6	1.0	0.5	0.1	*	-	-	2.4
	4	-	-	-	-	-	-	*	*	0.1	0.1	*	-	-	-	0.4
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	*	*	0.3	0.7	1.2	0.7	0.1	*	-	-	3.0
31	1-2	-	-	-	-	*	*	0.2	0.4	0.2	*	*	-	-	-	0.9
	3	-	-	-	-	*	*	0.2	2.9	11.2	16.7	8.6	1.5	*	*	41.3
	4	-	-	-	-	*	*	0.5	3.7	8.9	7.2	2.3	*	*	-	22.7
	5	-	-	-	-	-	-	*	*	0.1	0.1	0.1	*	-	-	0.4
	6	-	-	-	-	-	-	-	*	-	-	-	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	*	*	0.3	3.6	15.4	25.9	16.0	3.9	0.1	*	-	65.2
41	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	0.4	1.8	3.7	2.3	0.3	*	-	-	8.5
	4	-	-	-	-	*	*	0.2	1.6	5.2	5.2	1.1	*	*	-	13.3
	5	-	-	-	-	-	*	*	*	0.2	0.3	0.1	*	-	-	0.7
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	TOTAL—	-	-	-	*	*	*	0.5	3.5	9.2	7.8	1.5	*	*	-	22.6
51	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	-	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	TOTAL—	-	-	-	-	-	-	*	-	*	*	-	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
12 & 22	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	4	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
32	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	3	-	-	-	-	*	0.1	0.8	1.6	1.0	0.2	*	*	-	-	3.7
	4	-	-	-	-	*	*	0.2	0.6	0.6	0.2	*	*	-	-	1.6
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	*	-	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	*	*	0.1	1.0	2.3	1.7	0.4	*	*	-	-	5.4
42	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	*	*	*	0.2	0.6	0.6	0.2	*	*	-	-	1.6
	4	-	-	-	-	-	*	0.1	0.7	0.7	0.3	*	*	-	-	1.8
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	*	*	*	0.4	1.3	1.3	0.4	*	*	-	-	3.5
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*

* Less than 0.05 percent.

Table 12. -- **Missouri**: Percent distribution of color, leaf and staple for upland cotton classed:
December 30, 2005

QUALITY	LEAF	STAPLE														
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
TOTAL---		-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
43	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
TOTAL---		-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
53	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
TOTAL---		-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
63	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
TOTAL---		-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
24-54	1-7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
25-35	1-7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
81-85 1/	1-7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
All Colors	8 2/	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
TOTAL, ALL---		-	-	-	*	*	0.5	5.7	23.3	39.4	25.4	5.6	0.1	*	-	100.0
EXTRANEEOUS MATTER																
																Average Staple
																Percent Tenderable
Bark - Level 1	0.1															35.0
Bark - Level 2	*															71.8
Grass - Level 1	*															
Grass - Level 2	-															
Prep - Level 1	*															
Prep - Level 2	-															
Other - Level 1	*															
Other - Level 1	-															


863,751 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 13. -- **New Mexico**: Percent distribution of color, leaf and staple for upland cotton classed:
December 30, 2005

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	0.1	0.4	3.6	14.6	22.8	15.6	2.8	0.6	*	60.6
	3	-	-	-	-	-	0.1	0.8	1.6	2.0	4.3	6.0	2.5	0.7	0.1	18.2
	4	-	-	-	-	-	-	0.1	0.1	0.1	0.1	0.4	0.3	0.2	0.1	1.3
	5	-	-	-	-	-	-	-	-	-	-	-	0.1	*	-	0.2
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	*	0.2	1.3	5.3	16.7	27.3	22.0	5.6	1.5	0.2	80.2
31	1-2	-	-	-	-	-	*	0.1	0.5	1.6	3.4	2.4	0.3	*	-	8.4
	3	-	-	-	-	-	*	0.1	0.3	0.9	2.6	3.2	0.9	0.2	*	8.2
	4	-	-	-	-	-	-	*	-	0.1	0.2	0.7	0.7	0.2	*	1.9
	5	-	-	-	-	-	-	-	-	-	*	0.1	0.1	0.1	*	0.3
	6	-	-	-	-	-	-	-	-	-	-	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL	-	-	-	-	-	*	0.2	0.8	2.5	6.3	6.4	2.0	0.5	*	18.7
41	1-2	-	-	-	-	-	-	-	*	0.1	0.1	0.1	*	-	-	0.1
	3	-	-	-	-	-	-	-	*	-	-	-	*	-	-	0.3
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	-	0.1
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	*	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	*	*	0.1	0.1	0.1	0.1	*	-	0.6
51	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	-	*	*	*	*	*	-	-	-
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	-	0.1
	4	-	-	-	-	-	-	-	*	-	-	*	*	*	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	-	*	*	*	0.1	0.1	*	-	0.2
32	1-2	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	3	-	-	-	-	-	-	-	*	-	*	0.1	*	-	-	0.1
	4	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	-	*	-	*	0.1	*	*	*	0.2
42	1-2	-	-	-	-	-	-	-	-	-	-	*	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	-	-	-	-	*	*	*	-	*
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*

* Less than 0.05 percent.

Table 13. -- **New Mexico** : Percent distribution of color, leaf and staple for upland cotton classed:
December 30, 2005

QUALITY	LEAF	STAPLE														TOTAL
		26  -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1-2	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	*	-	-	*	*	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	-	-	*	*	-	*
33	1-2	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL, ALL		-	-	-	*	*	0.2	1.5	6.3	19.4	33.7	28.7	7.9	2.1	0.3	100.0
EXTRANEEOUS MATTER																
																Average Staple
																Percent Tenderable
Bark - Level 1		0.1														36.1
Bark - Level 2		-														78.5
Grass - Level 1		0.2														
Grass - Level 2		-														
Prep - Level 1		*														
Prep - Level 2		-														
Other - Level 1		*														
Other - Level 1		-														

44,338 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 14. — **North Carolina**: Percent distribution of color, leaf and staple for upland cotton classed:
December 30, 2005

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	0.1	-	-	-	-	-	0.2
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	-	-	0.3
31	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	*	*	0.4	1.4	1.7	0.9	0.2	*	*	-	4.6
	4	-	-	-	*	*	*	0.1	0.6	1.2	0.9	0.2	*	*	-	3.0
	5	-	-	-	-	-	-	-	*	0.1	0.1	*	*	-	-	0.3
	6	-	-	-	-	-	-	-	*	-	*	*	*	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	*	*	*	0.5	2.1	3.1	1.9	0.5	*	*	-	8.0
41	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	*	*	0.1	1.1	4.6	5.6	2.5	0.5	*	*	-	14.4
	4	-	-	-	*	*	*	0.8	5.2	9.8	6.3	1.4	*	*	*	23.6
	5	-	-	-	-	*	*	*	0.3	0.8	0.8	0.2	*	*	-	2.2
	6	-	-	-	-	-	-	*	*	*	0.1	*	*	-	-	0.1
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	*	*	0.1	2.0	10.1	16.3	9.7	2.1	0.1	*	*	40.3
51	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	*	*	0.1	0.5	1.9	2.5	1.1	0.2	*	*	-	6.3
	4	-	-	-	*	*	*	0.6	3.2	6.1	3.7	0.8	*	*	-	14.6
	5	-	-	-	-	-	-	*	0.2	0.7	0.6	0.2	*	*	-	1.7
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	0.1
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	*	*	0.1	1.2	5.4	9.3	5.5	1.2	*	*	-	22.7
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	4	-	-	-	-	-	*	*	*	0.1	*	*	*	-	-	0.1
	5	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	*	*	*	*	0.1	0.1	*	*	-	-	0.2
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
32	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	*	*	*	0.1	0.1	0.1	0.1	*	*	-	-	0.4
	4	-	-	-	-	-	*	*	0.1	0.1	0.1	*	*	-	-	0.4
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	*	*	*	0.1	0.2	0.3	0.1	*	*	-	-	0.8
42	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	*	*	0.1	0.3	0.9	0.9	0.4	0.1	*	-	-	2.7
	4	-	-	-	*	*	*	0.4	1.4	2.1	1.2	0.2	*	*	-	5.4
	5	-	-	-	-	*	*	*	0.2	0.3	0.2	0.1	*	*	-	0.8
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	*	*	0.1	0.8	2.5	3.4	1.8	0.3	*	*	-	8.9
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	*	*	0.1	0.5	1.3	1.4	0.5	*	*	-	-	3.9
	4	-	-	-	*	*	0.1	0.8	3.0	4.2	2.0	0.3	*	-	-	10.4
	5	-	-	-	-	*	*	0.1	0.4	0.7	0.5	0.1	*	-	-	1.8
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	*	*	0.1	1.4	4.8	6.4	2.9	0.4	*	-	-	16.1

* Less than 0.05 percent.

Table 14. -- **North Carolina**: Percent distribution of color, leaf and staple for upland cotton classed:
December 30, 2005

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	-	0.1	0.1	*	*	-	-	-	0.3
	4	-	-	-	-	*	*	-	0.2	0.3	0.1	*	*	-	-	0.6
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
TOTAL----		-	-	-	-	*	*	0.1	0.3	0.4	0.1	*	*	-	-	1.0
13 & 23	1-2	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
33	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
43	1-2	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	3	-	-	-	-	-	*	*	0.1	0.1	*	*	*	-	-	0.2
	4	-	-	-	-	-	*	*	0.1	0.1	0.1	*	*	-	-	0.3
	5	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
TOTAL----		-	-	-	*	-	*	*	0.1	0.2	0.1	*	*	-	-	0.5
53	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	*	*	0.1	0.1	*	*	*	-	-	0.2
	4	-	-	-	-	-	*	*	0.2	0.3	0.1	*	*	-	-	0.6
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	0.1	0.2	0.4	0.1	*	*	-	-	0.9
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	0.1	-	-	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	*	*	0.1	*	*	-	-	-	0.1
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	*	0.1	*	*	-	-	-	0.2
24-54	1-7	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
25-35	1-7	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
81-85 1/	1-7	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL, ALL----		-	-	-	*	*	0.5	6.1	26.0	40.1	22.5	4.6	0.2	*	*	100.0
EXTRANEEOUS MATTER		Average Staple														34.9
		Percent Tenderable														63.2
Bark - Level 1		1.5														
Bark - Level 2		*														
Grass - Level 1		0.4														
Grass - Level 2		-														
Prep - Level 1		0.5														
Prep - Level 2		-														
Other - Level 1		-														
Other - Level 2		-														

1,283,944 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 15. -- **Oklahoma:** Percent distribution of color, leaf and staple for upland cotton classed:
December 30, 2005

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	*	0.2	0.6	1.5	4.4	7.9	7.9	4.8	0.5	*	-	27.9
	3	-	-	*	*	0.3	0.9	2.7	5.8	7.7	6.9	6.4	1.4	*	*	32.0
	4	-	-	-	*	*	0.1	0.4	0.9	1.0	0.6	0.3	*	*	-	3.5
	5	-	-	-	-	*	*	*	*	0.1	*	*	*	-	-	0.2
	6	-	-	-	-	-	-	-	*	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	*	*	0.5	1.6	4.6	11.2	16.6	15.5	11.5	2.0	0.1	*	63.6
31	1-2	-	-	-	*	*	0.1	0.2	0.6	0.9	0.9	0.5	*	*	-	3.2
	3	-	-	*	*	0.1	0.4	1.0	2.1	3.0	3.3	2.9	0.6	*	-	13.4
	4	-	-	*	*	0.1	0.3	0.7	1.7	1.7	1.2	0.8	0.2	*	-	6.7
	5	-	-	-	*	*	0.1	0.2	0.5	0.4	0.2	0.1	*	*	-	1.7
	6	-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.1
	7	-	-	-	-	*	*	*	*	-	-	-	-	-	-	*
	TOTAL----	-	-	*	*	0.3	0.9	2.2	4.9	6.0	5.7	4.3	0.9	*	-	25.2
41	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	-	0.1
	4	-	*	*	*	*	*	*	*	*	0.1	0.1	*	*	*	0.3
	5	-	-	-	*	*	*	*	0.1	*	*	0.1	*	*	-	0.3
	6	-	-	*	*	*	*	*	*	*	*	*	-	-	-	0.2
	7	-	-	-	*	*	*	*	*	*	-	-	-	-	-	*
	TOTAL----	-	*	*	*	*	0.1	0.1	0.2	0.1	0.1	0.2	*	*	*	1.0
51	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	TOTAL----	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	TOTAL----	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
12 & 22	1-2	-	*	*	*	*	0.1	0.2	0.4	0.4	0.2	0.1	*	-	-	1.5
	3	-	-	-	*	0.1	0.2	0.4	0.9	1.0	0.5	0.1	*	-	-	3.3
	4	-	-	-	*	*	*	0.1	0.2	0.2	0.1	*	*	-	-	0.7
	5	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	*	*	*	-	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	*	*	*	0.2	0.3	0.7	1.6	1.7	0.8	0.2	*	-	-	5.5
32	1-2	-	-	-	*	*	*	*	*	*	*	*	*	-	-	0.2
	3	-	-	-	*	*	0.1	0.1	0.3	0.3	0.2	0.1	*	-	-	1.0
	4	-	-	-	*	*	0.1	0.1	0.3	0.2	0.1	0.1	*	-	-	0.9
	5	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	-	-	0.4
	6	-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.1
	7	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	TOTAL----	-	-	-	*	0.1	0.2	0.4	0.7	0.6	0.4	0.2	*	-	-	2.5
42	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	7	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	TOTAL----	-	-	-	*	*	*	0.1	0.1	*	*	*	*	-	-	0.3
52	1-2	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	6	-	-	-	-	*	*	*	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*

* Less than 0.05 percent.

Table 15. -- **Oklahoma**: Percent distribution of color, leaf and staple for upland cotton classed:
December 30, 2005

QUALITY		STAPLE														
COLOR	LEAF	26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1-2	-	-	-	*	*	*	0.1	0.1	0.1	*	*	-	-	-	0.4
	3	-	-	-	*	*	*	0.1	0.2	0.1	*	*	*	-	-	0.4
	4	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	*	*	0.1	0.2	0.3	0.3	0.1	*	*	-	-	0.9
33	1-2	-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.1
	3	-	-	-	-	*	*	*	0.1	0.1	*	*	-	-	-	0.3
	4	-	-	*	*	*	*	*	0.1	*	*	*	*	-	-	0.2
	5	-	-	*	*	*	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	*	*	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	TOTAL	-	-	*	*	*	*	0.1	0.2	0.2	0.1	*	*	-	-	0.7
43	1-2	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	TOTAL	-	-	-	*	*	*	*	*	*	*	*	*	-	-	0.1
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	*	-	*	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	6	-	-	-	-	*	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	TOTAL	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
24-54	1-7	-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.2
25-35	1-7	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
81-85 1/	1-7	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
All Colors	8 2/	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
TOTAL, ALL		-	*	*	0.2	1.2	3.3	8.4	19.1	25.6	22.7	16.5	3.0	0.1	*	100.0
EXTRANEEOUS MATTER																
Bark - Level 1	4.1															
Bark - Level 2	*															
Grass - Level 1	0.1															
Grass - Level 2	*															
Prep - Level 1	*															
Prep - Level 2	-															
Other - Level 1	*															
Other - Level 1	*															

240,532 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 16. -- **South Carolina** : Percent distribution of color, leaf and staple for upland cotton classed:
December 30, 2005

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	3	-	-	-	-	*	*	0.1	0.2	0.4	0.2	*	*	*	-	1.0
	4	-	-	-	-	-	*	*	*	0.1	0.1	*	*	-	-	0.2
	5	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	0.1	0.3	0.5	0.3	0.1	*	*	-	1.3
31	1-2	-	-	-	-	-	*	*	0.1	0.1	*	*	-	-	-	0.2
	3	-	-	-	*	*	0.1	0.8	3.6	4.6	1.7	0.4	*	*	-	11.1
	4	-	-	-	-	*	*	0.2	0.9	2.0	1.6	0.4	*	*	-	5.1
	5	-	-	-	-	-	-	*	*	0.1	0.1	0.1	*	-	-	0.3
	6	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	*	*	0.1	1.0	4.6	6.7	3.4	0.9	0.1	*	-	16.7
41	1-2	-	-	-	-	*	*	*	0.1	*	*	*	-	-	-	0.1
	3	-	-	-	*	*	0.2	2.4	10.6	11.7	3.7	0.5	*	-	-	29.1
	4	-	-	-	-	*	*	1.0	7.1	12.0	6.3	1.5	*	*	-	28.0
	5	-	-	-	-	-	*	*	0.2	0.6	0.7	0.3	*	*	-	1.9
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	7	-	-	-	-	-	-	-	-	*	-	*	*	-	-	*
TOTAL----		-	-	-	*	*	0.3	3.4	18.0	24.3	10.7	2.4	0.1	*	-	59.2
51	1-2	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	*	0.5	2.1	1.8	0.5	0.1	*	-	-	5.1
	4	-	-	-	-	*	*	0.3	1.9	2.6	1.3	0.4	*	-	-	6.4
	5	-	-	-	-	-	*	*	0.1	0.3	0.2	0.1	*	*	-	0.7
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	0.1
	7	-	-	-	-	-	-	-	*	-	-	*	*	-	-	*
TOTAL----		-	-	-	-	*	0.1	0.8	4.1	4.7	2.0	0.6	*	*	*	12.3
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	*	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	-	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
12 & 22	1-2	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
32	1-2	-	-	-	-	-	-	-	*	*	-	*	-	-	-	*
	3	-	-	-	-	-	*	*	0.1	0.1	0.1	*	*	-	-	0.4
	4	-	-	-	-	-	*	*	*	0.1	0.1	*	*	-	-	0.3
	5	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	*	*	0.1	0.2	0.2	0.1	*	-	-	0.7
42	1-2	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	0.1	0.5	0.7	0.3	0.1	*	-	-	1.8
	4	-	-	-	-	*	*	0.1	0.5	1.3	0.9	0.4	*	-	-	3.2
	5	-	-	-	-	-	-	*	*	0.2	0.2	0.1	*	*	-	0.5
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	*	*	0.2	1.0	2.2	1.5	0.6	*	*	-	5.5
52	1-2	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	3	-	-	-	-	-	*	0.1	0.3	0.4	0.2	*	*	-	-	1.0
	4	-	-	-	-	-	*	0.1	0.3	0.9	0.7	0.2	*	*	-	2.2
	5	-	-	-	-	-	-	*	*	0.1	0.2	0.1	*	*	-	0.4
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	*	0.1	0.6	1.5	1.0	0.3	*	*	-	3.6

* Less than 0.05 percent.

Table 16. -- **South Carolina**: Percent distribution of color, leaf and staple for upland cotton classed:
December 30, 2005

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL—		-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
33	1-2	-	-	-	-	-	*	-	-	*	-	*	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
43	1-2	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	0.1	*	*	-	-	-	0.1
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	*	*	0.1	0.1	*	*	*	*	*	0.2
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	*	*	*	0.1	*	*	*	*	*	0.1
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	-	-	-	-	-	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
24-54	1-7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
81-85 1/	1-7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL, ALL—		-	-	-	*	*	0.5	5.8	29.0	40.3	19.3	4.9	0.2	*	*	100.0
EXTRANEIOUS MATTER																
Bark - Level 1		0.8														34.9
Bark - Level 2		-														85.9
Grass - Level 1		0.3														
Grass - Level 2		-														
Prep - Level 1		0.1														
Prep - Level 2		-														
Other - Level 1		-														
Other - Level 2		-														

362,436 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 17. — **Tennessee**: Percent distribution of color, leaf and staple for upland cotton classed:
December 30, 2005

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	*	0.1	0.2	0.2	0.1	*	*	-	-	-	0.6
	3	-	-	-	-	*	0.3	1.4	2.2	1.5	0.4	*	-	-	-	5.7
	4	-	-	-	-	*	*	0.1	0.3	0.3	0.1	*	*	-	-	0.8
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	*	*	0.3	1.7	2.6	1.8	0.5	*	*	-	-	7.1
31	1-2	-	-	-	-	*	0.1	0.3	0.2	0.1	*	*	-	-	-	0.7
	3	-	-	-	*	*	1.6	8.3	13.6	8.4	2.1	0.2	*	-	-	34.2
	4	-	-	-	*	*	0.7	4.2	11.2	10.6	3.4	0.4	*	-	-	30.6
	5	-	-	-	-	*	*	0.1	0.2	0.3	0.2	*	-	-	-	0.9
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	TOTAL----	-	-	-	*	*	0.1	2.4	12.9	25.3	19.4	5.7	0.6	*	-	66.4
41	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	*	*	0.1	0.8	1.6	0.9	0.2	*	-	-	-	3.7
	4	-	-	-	*	*	0.2	1.2	3.5	3.2	1.0	0.1	*	-	-	9.2
	5	-	-	-	-	*	*	0.1	0.4	0.5	0.2	*	-	-	-	1.2
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	TOTAL----	-	-	-	*	*	0.3	2.2	5.5	4.7	1.4	0.2	*	-	-	14.2
51	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	TOTAL----	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
12 & 22	1-2	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	*	*	*	0.1	0.1	*	*	*	-	-	-	0.2
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	*	*	*	0.1	0.1	*	*	*	-	-	-	0.2
32	1-2	-	-	-	*	*	*	0.1	*	*	*	*	-	-	-	0.1
	3	-	-	-	*	*	0.4	1.4	1.5	0.6	0.1	*	*	-	-	4.0
	4	-	-	-	*	*	0.2	0.8	1.1	0.7	0.2	*	-	-	-	2.9
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	*	*	0.6	2.3	2.7	1.3	0.2	*	*	-	-	7.2
42	1-2	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	*	*	0.1	0.4	0.6	0.3	*	*	-	-	-	1.5
	4	-	-	-	-	*	0.1	0.5	0.9	0.6	0.2	*	-	-	-	2.4
	5	-	-	-	-	*	*	0.1	0.1	0.1	*	*	-	-	-	0.3
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	*	*	0.2	1.0	1.7	1.1	0.2	*	*	-	-	4.2
52	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	TOTAL----	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*

* Less than 0.05 percent.

Table 17. -- **Tennessee**: Percent distribution of color, leaf and staple for upland cotton classed:
December 30, 2005

December 30, 2005																
QUALITY	LEAF	STAPLE														
COLOR		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	*	*	-	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL—		-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
13 & 23	1-2	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL—		-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
33	1-2	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.1
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL—		-	-	-	-	*	*	0.1	0.1	*	*	*	-	-	-	0.2
43	1-2	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.1
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL—		-	-	-	-	*	*	0.1	0.1	*	*	*	-	-	-	0.2
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	*	-	*	*	*	-	*	-	-	-	*
	6	-	-	-	-	*	*	-	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL—		-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	*	-	-	-	*	*	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	*	-	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL—		-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
24-54	1-7	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
81-85 1/	1-7	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
All Colors	8 2/	-	-	-	-	*	-	-	-	*	*	*	-	-	-	*
TOTAL, ALL—		-	-	-	*	0.1	4.0	20.3	38.1	28.5	8.1	0.8	*	-	-	100.0
EXTRANEEOUS MATTER																
Bark - Level 1		0.6														
Bark - Level 2		*														
Grass - Level 1		0.2														
Grass - Level 2		*														
Prep - Level 1		*														
Prep - Level 2		*														
Other - Level 1		*														
Other - Level 1		*														
		Average Staple 34.2														
		Percent Tenderable 74.8														

1,078,082 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 18. -- **Texas**: Percent distribution of color, leaf and staple for upland cotton classed:
December 30, 2005

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	0.3	1.0	2.8	5.1	6.2	4.3	1.5	0.1	-	-	21.5
	3	-	-	-	-	0.3	1.3	3.5	7.1	9.7	8.0	3.7	0.2	-	-	34.0
	4	-	-	-	-	0.1	0.3	0.6	1.1	1.4	1.2	0.7	0.1	-	-	5.3
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.2
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	0.1	0.7	2.6	6.9	13.4	17.3	13.6	5.9	0.4	-	-	60.9
31	1-2	-	-	-	-	-	0.1	0.4	0.6	0.6	0.3	0.1	-	-	-	2.1
	3	-	-	-	-	0.2	0.6	1.6	2.9	4.0	3.1	1.2	0.1	-	-	13.6
	4	-	-	-	-	0.1	0.4	0.9	1.8	2.7	2.3	1.1	0.1	-	-	9.3
	5	-	-	-	-	-	0.1	0.2	0.3	0.4	0.3	0.2	-	-	-	1.6
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.2
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	0.3	1.3	3.0	5.6	7.8	6.0	2.5	0.2	-	-	26.8
41	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	3	-	-	-	-	-	0.1	0.2	0.3	0.4	0.4	0.2	-	-	-	1.7
	4	-	-	-	-	-	0.1	0.2	0.4	0.6	0.5	0.3	-	-	-	2.2
	5	-	-	-	-	-	-	0.1	0.2	0.4	0.2	0.1	-	-	-	1.1
	6	-	-	-	-	-	-	-	0.1	0.1	0.1	-	-	-	-	0.3
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	0.1	0.3	0.6	1.1	1.6	1.2	0.6	0.1	-	-	5.4
51	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.2
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.2
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	0.1	0.2	0.1	0.1	-	-	-	0.6
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	0.1	0.1	0.1	0.1	-	-	-	-	-	0.5
	3	-	-	-	-	-	0.1	0.4	0.5	0.4	0.2	0.1	-	-	-	1.7
	4	-	-	-	-	-	-	0.1	0.1	0.1	0.1	-	-	-	-	0.4
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	0.3	0.6	0.8	0.6	0.3	0.1	-	-	-	2.7
32	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	3	-	-	-	-	-	0.1	0.2	0.2	0.2	0.1	-	-	-	-	0.8
	4	-	-	-	-	-	0.1	0.2	0.2	0.2	0.1	-	-	-	-	0.9
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.2
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	0.1	0.3	0.5	0.5	0.4	0.2	0.1	-	-	-	2.0
42	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	0.1	0.1	-	-	-	-	-	-	0.3
	4	-	-	-	-	-	-	0.1	0.1	0.1	-	-	-	-	-	0.4
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.2
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	0.1	0.2	0.2	0.2	0.1	-	-	-	-	1.0
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1

* Less than 0.05 percent.

Table 18. -- **Texas**: Percent distribution of color, leaf and staple for upland cotton classed:
December 30, 2005

December 30, 2005																
QUALITY	LEAF	STAPLE														
COLOR		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL, ALL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EXTRANEEOUS MATTER																
Bark - Level 1		5.8														
Bark - Level 2		*														
Grass - Level 1		0.6														
Grass - Level 2		*														
Prep - Level 1		*														
Prep - Level 2		*														
Other - Level 1		0.1														
Other - Level 1		*														

5,591,261 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 19. -- *Virginia* : Percent distribution of color, leaf and staple for upland cotton classed:
December 30, 2005

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	*	*	0.1	0.2	0.1	*	-	-	0.4
	4	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	*	*	0.1	0.2	0.1	*	*	*	0.5
31	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	*	0.1	0.5	1.8	2.2	1.2	0.2	*	*	5.9
	4	-	-	-	-	-	*	*	0.3	1.2	1.9	1.2	0.2	*	*	4.8
	5	-	-	-	-	-	-	*	*	0.1	0.2	0.1	*	*	-	0.4
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	*	0.1	0.7	3.0	4.2	2.6	0.4	0.1	*	11.1
41	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	*	0.2	1.2	3.9	4.7	2.3	0.2	*	*	12.6
	4	-	-	-	-	-	*	0.1	1.1	4.6	6.2	3.9	0.5	*	*	16.4
	5	-	-	-	-	-	-	*	*	0.3	0.6	0.4	*	*	-	1.4
	6	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	*	0.3	2.3	8.9	11.5	6.6	0.7	*	*	30.4
51	1-2	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	*	0.1	0.9	2.8	3.1	1.9	0.2	*	-	9.1
	4	-	-	-	-	-	*	0.1	1.3	5.0	6.7	4.2	0.4	-	-	17.8
	5	-	-	-	-	-	-	*	*	0.2	0.3	0.3	*	-	-	0.9
	6	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	*	0.2	2.2	8.0	10.2	6.5	0.7	*	-	27.7
61	1-2	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	-	-	0.1
	4	-	-	-	-	-	-	*	*	*	0.1	0.1	*	-	-	0.3
	5	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	*	*	0.1	0.2	0.1	*	-	-	0.4
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	-	-	*	-	*	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
32	1-2	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	0.1	0.2	0.2	*	*	-	-	0.6
	4	-	-	-	-	-	-	*	*	0.1	0.1	*	-	-	-	0.4
	5	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	*	*	0.1	0.3	0.4	0.1	*	-	-	1.0
42	1-2	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	3	-	-	-	-	-	*	0.3	0.9	1.4	0.9	0.2	*	*	-	3.7
	4	-	-	-	-	-	*	0.1	0.7	1.8	1.1	0.4	*	*	-	4.2
	5	-	-	-	-	-	-	-	*	0.1	0.1	*	*	-	-	0.3
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	0.1	0.4	1.7	3.3	2.1	0.7	*	*	-	8.2
52	1-2	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	3	-	-	-	-	-	*	0.3	1.4	2.2	1.4	0.4	*	-	-	5.7
	4	-	-	-	*	-	*	0.3	2.0	4.7	4.0	1.4	0.1	*	-	12.5
	5	-	-	-	-	-	*	*	0.1	0.3	0.4	0.2	*	-	-	0.9
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	*	-	*	0.5	3.5	7.2	5.7	2.0	0.1	*	-	19.1

* Less than 0.05 percent.

Table 19. -- Virginia: Percent distribution of color, leaf and staple for upland cotton classed:
December 30, 2005

QUALITY		LEAF	STAPLE														TOTAL
COLOR			26 & - Pct.	28 Pct.	29 Pct.	30 Pct.	31 Pct.	32 Pct.	33 Pct.	34 Pct.	35 Pct.	36 Pct.	37 Pct.	38 Pct.	39 Pct.	40 & + Pct.	
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	0.1	*	-	-	-	0.2	
	4	-	-	-	-	-	-	-	*	0.1	0.3	0.1	*	-	-	0.5	
	5	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*	
	6	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----		-	-	-	-	-	-	*	0.1	0.2	0.3	0.1	*	-	-	0.7	
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----		-	-	-	-	-	-	-	-	-	*	-	-	-	-	*	
33	1-2	-	-	-	-	-	-	-	-	*	*	*	-	*	-	*	
	3	-	-	-	-	-	-	-	*	*	*	*	-	*	-	*	
	4	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----		-	-	-	-	-	-	-	*	*	*	*	*	*	-	*	
43	1-2	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*	
	3	-	-	-	-	-	*	*	*	0.1	*	*	*	*	-	0.2	
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1	
	5	-	-	-	-	-	-	-	-	*	-	*	*	-	-	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----		-	-	-	-	-	*	*	0.1	0.1	0.1	*	*	*	-	0.3	
53	1-2	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*	
	3	-	-	-	-	-	*	*	*	0.1	*	*	*	-	-	0.2	
	4	-	-	-	-	-	*	*	0.1	0.1	0.1	*	*	-	-	0.3	
	5	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----		-	-	-	-	-	*	*	0.1	0.2	0.1	*	*	-	-	0.4	
63	1-2	-	-	*	-	-	-	-	-	-	*	-	-	-	-	*	
	3	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*	
	4	-	-	-	-	-	-	*	*	*	*	*	-	*	-	*	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	-	*	-	*	
24-54	1-7	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*	
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*	
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL, ALL-----		-	-	-	*	*	0.1	1.6	10.9	31.5	35.0	18.8	2.0	0.1	*	100.0	
EXTRANEEOUS MATTER																Average Staple	35.6
																Percent Tenderable	59.9
Bark - Level 1		0.5															
Bark - Level 2		-															
Grass - Level 1		0.3															
Grass - Level 2		-															
Prep - Level 1		0.2															
Prep - Level 2		-															
Other - Level 1		-															
Other - Level 1		-															

155,328 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 20. -- Percentage distribution of mike and fiber strength for upland cotton classed through December 30, 2005

MIKE AND FIBER STRENGTH	ALABAMA	ARIZONA	ARKANSAS	CALIFORNIA	FLORIDA	GEORGIA	KANSAS	LOUISIANA	MISSISSIPPI
MIKE 24 & below	-	*	-	*	-	-	*	-	-
25	*	*	-	*	-	*	0.1	-	-
26	*	*	-	*	*	*	0.3	-	-
27	*	*	*	*	*	*	0.4	*	*
28	*	*	*	0.1	*	*	0.4	*	*
29	*	*	*	0.1	*	*	0.8	*	*
30	*	0.1	*	0.1	*	*	1.3	*	*
31	0.1	0.1	*	0.2	*	*	1.8	*	*
32	0.2	0.2	*	0.3	0.1	*	2.7	*	*
33	0.3	0.2	*	0.4	0.2	0.1	3.9	*	*
34	0.6	0.4	*	0.6	0.2	0.1	4.8	*	0.1
35	1.1	0.5	0.1	1.0	0.3	0.3	5.8	*	0.2
36	1.8	0.9	0.3	1.6	0.4	0.4	7.0	0.1	0.3
37	2.5	1.2	0.7	2.5	0.5	0.6	6.6	0.3	0.6
38	3.5	1.8	1.5	3.6	0.8	0.9	6.1	0.4	1.1
39	4.6	2.2	3.0	5.2	1.3	1.3	5.3	0.6	1.9
40	5.6	2.7	4.9	7.3	2.2	2.0	4.2	1.1	3.1
41	6.4	3.2	6.9	8.8	3.3	3.1	3.7	1.9	4.5
42	7.2	4.0	8.3	10.5	5.0	4.6	3.7	3.1	5.9
43	7.8	4.8	7.9	11.9	7.6	6.9	3.5	4.7	7.6
44	8.9	6.0	7.6	11.7	11.5	9.9	3.8	6.8	9.5
45	10.2	7.1	7.5	10.8	15.1	13.1	4.8	9.3	11.5
46	10.9	8.3	8.4	9.3	17.7	15.7	4.1	12.5	12.7
47	10.2	9.6	9.1	6.8	15.0	15.8	3.8	15.2	12.7
48	7.9	10.0	9.4	4.1	10.8	12.7	3.5	16.0	11.0
49	5.1	10.3	8.6	1.8	5.4	7.6	3.3	12.7	7.9
50	2.9	9.6	6.6	0.7	1.9	3.3	2.5	8.0	4.9
51	1.3	7.5	4.4	0.3	0.4	1.0	2.3	4.2	2.7
52	0.5	5.1	2.6	0.2	0.1	0.3	2.5	2.0	1.2
53	0.1	2.6	1.2	0.1	*	*	2.1	0.8	0.4
54	*	1.0	0.5	*	*	*	1.5	0.2	0.1
55	*	0.3	0.2	*	*	*	1.7	0.1	*
56	*	0.1	0.1	*	*	*	1.2	*	*
57	*	*	*	-	*	-	0.4	*	*
58	*	*	*	-	-	-	0.2	*	*
59	-	*	*	-	-	-	*	-	-
60 & above	-	-	-	-	-	-	-	-	-
Average mike	44	47	46	43	45	46	41	47	46
FIBER STRENGTH 1/									
17 & below	-	-	-	-	-	-	-	-	-
18	-	-	-	-	-	-	-	-	-
19	-	-	*	*	-	-	-	-	*
20	-	*	*	*	-	-	*	-	*
21	-	*	*	*	-	*	*	-	*
22	*	0.1	*	*	*	*	*	-	*
23	*	0.2	*	*	*	*	*	*	*
24	0.2	0.6	0.1	*	0.2	*	0.1	0.3	0.2
25	0.9	1.7	0.6	*	0.9	0.4	0.3	1.7	1.1
26	4.0	4.4	2.7	0.1	3.7	2.0	1.9	6.4	4.2
27	12.1	8.8	9.5	0.6	12.3	7.8	8.1	16.5	12.1
28	21.8	14.3	22.8	1.8	26.0	19.8	22.0	26.4	22.9
29	24.1	20.6	29.4	3.0	30.4	29.2	26.3	23.4	26.1
30	17.8	21.8	20.0	4.1	16.7	22.4	21.9	13.7	18.6
31	10.6	15.9	9.1	6.1	6.2	11.2	13.5	6.8	9.2
32	5.1	7.9	3.8	10.3	2.4	4.7	4.8	3.1	3.5
33	2.2	2.8	1.4	11.9	0.9	1.7	0.7	1.2	1.2
34	0.8	0.8	0.5	16.8	0.3	0.6	0.1	0.4	0.6
35	0.2	0.2	0.1	20.7	*	0.1	*	0.1	0.3
36 & above	*	*	*	24.5	*	*	*	*	0.1
Average strength	29.1	29.4	29.1	33.8	28.8	29.3	29.2	28.6	28.9

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex.)

* Less than 0.05 percent.

Table 20. -- Percentage distribution of mike and fiber strength for upland cotton classed through
December 30, 2005

MIKE AND FIBER STRENGTH	MISSOURI	NEW MEXICO	NORTH CAROLINA	OKLAHOMA	SOUTH CAROLINA	TENNESSEE	TEXAS	VIRGINIA	UNITED STATES
MIKE									
24 & below	-	0.1	*	*	-	-	0.1	*	*
25	*	0.1	*	*	*	*	0.2	*	0.1
26	*	0.1	-	*	*	*	0.4	-	0.1
27	*	0.6	*	0.1	*	*	0.8	*	0.2
28	*	0.8	*	0.1	*	*	1.3	-	0.4
29	*	1.3	*	0.2	*	*	1.8	-	0.6
30	*	1.6	*	0.3	*	*	2.5	-	0.8
31	*	2.6	*	0.4	*	*	3.3	*	1.0
32	*	3.4	*	0.6	0.1	*	4.2	*	1.3
33	*	3.8	*	1.1	0.1	0.1	5.0	*	1.6
34	*	5.3	*	1.6	0.2	0.1	5.7	*	1.8
35	*	5.5	0.1	2.1	0.4	0.3	6.3	0.1	2.1
36	0.1	7.1	0.2	3.2	0.5	0.5	6.8	0.2	2.4
37	0.3	8.8	0.4	4.5	0.9	0.8	7.0	0.5	2.7
38	0.6	8.1	0.7	5.8	1.5	1.4	7.1	1.4	3.2
39	1.2	8.5	1.4	6.9	2.3	2.4	6.9	1.9	3.7
40	2.5	9.0	2.7	8.1	3.5	3.8	6.5	2.8	4.4
41	4.3	8.5	4.8	9.2	5.2	5.7	5.9	4.6	5.3
42	5.8	7.2	7.2	9.9	7.8	7.7	5.2	6.0	6.2
43	7.4	5.9	9.4	10.0	10.9	9.5	4.5	7.6	7.0
44	8.5	5.1	10.9	8.8	13.8	10.5	3.7	9.5	7.7
45	8.7	3.4	12.0	7.3	15.9	10.3	3.0	10.4	8.3
46	9.1	1.8	12.3	5.8	14.3	9.6	2.5	10.2	8.7
47	9.3	0.8	11.6	4.6	10.8	8.7	2.1	9.6	8.6
48	9.4	0.4	9.3	3.4	6.7	7.3	1.8	9.0	7.5
49	8.4	0.2	6.7	2.1	3.4	5.9	1.4	8.1	5.6
50	7.1	*	4.3	1.2	1.2	4.9	1.1	6.9	3.7
51	5.8	*	2.7	0.8	0.3	3.8	0.8	4.8	2.3
52	4.3	*	1.7	0.6	0.1	2.8	0.6	3.3	1.4
53	3.1	*	1.0	0.4	*	1.9	0.4	1.8	0.8
54	2.0	-	0.4	0.3	*	1.1	0.3	0.7	0.4
55	1.2	*	0.2	0.2	*	0.5	0.2	0.3	0.2
56	0.6	-	*	0.1	-	0.2	0.1	*	0.1
57	0.2	-	*	0.1	-	*	*	*	*
58	*	-	*	*	-	*	*	-	*
59	-	-	-	*	-	-	*	-	*
60 & above	-	-	-	*	-	-	*	-	*
Average mike	47	38	46	42	44	45	38	46	46
FIBER STRENGTH 1/									
17 & below	-	-	-	-	-	-	-	-	-
18	*	-	-	-	-	*	*	-	*
19	*	*	*	*	*	*	*	-	*
20	*	*	*	*	*	*	*	-	*
21	*	*	*	*	*	*	*	*	*
22	*	*	*	*	*	*	*	*	*
23	*	0.1	0.1	0.1	*	*	0.1	*	0.1
24	0.1	0.6	0.6	0.2	0.3	0.1	0.5	0.2	0.3
25	0.3	2.4	3.2	0.6	1.7	0.5	1.7	1.2	1.2
26	1.7	6.7	9.4	2.3	6.6	2.7	5.0	4.3	4.1
27	6.8	13.4	18.8	7.4	17.6	9.4	11.2	11.5	10.8
28	18.1	20.3	24.3	15.0	25.9	21.9	18.6	19.4	20.0
29	28.7	22.4	20.3	20.2	21.9	28.9	22.4	22.3	23.9
30	24.8	18.5	12.8	20.9	13.9	21.2	18.9	18.1	18.2
31	12.1	9.5	6.4	16.4	7.1	9.6	11.6	12.9	10.0
32	5.1	3.9	2.8	10.0	3.3	3.5	5.8	6.4	4.9
33	1.6	1.6	1.0	4.8	1.2	1.4	2.6	2.7	2.4
34	0.5	0.4	0.3	1.7	0.3	0.5	1.0	0.9	1.5
35	0.1	0.1	*	0.4	*	0.1	0.3	0.2	1.3
36 & above	*	*	*	0.1	*	*	0.1	*	1.3
Average strength	29.4	28.8	28.3	29.7	28.6	29.1	29.1	29.2	29.3

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex.)

* Less than 0.05 percent.

Table 21. -- Percentage distribution of uniformity and trash for upland cotton classed through December 30, 2005

UNIFORMITY AND TRASH	ALABAMA	ARIZONA	ARKANSAS	CALIFORNIA	FLORIDA	GEORGIA	KANSAS	LOUISIANA	MISSISSIPPI
UNIFORMITY 1/									
72.4 & below	-	-	*	-	-	-	-	-	-
72.5-73.4	-	-	*	-	-	-	-	-	-
73.5-74.4	-	*	*	-	-	-	-	-	*
74.5-75.4	-	*	*	*	-	*	*	-	*
75.5-76.4	-	*	*	*	-	*	*	*	*
76.5-77.4	0.3	0.4	*	*	0.3	0.1	0.2	0.5	0.1
77.5-78.4	3.1	2.4	0.7	0.3	3.5	4.8	1.7	5.5	2.3
78.5-79.4	11.3	9.8	4.5	1.7	16.1	20.1	9.4	24.0	12.9
79.5-80.4	23.2	27.8	15.6	4.7	39.7	37.2	30.4	32.5	28.0
80.5-81.4	31.0	35.8	32.2	12.1	29.8	25.1	33.6	22.5	30.3
81.5-82.4	22.7	18.9	36.3	35.3	8.8	10.0	21.5	11.9	20.3
82.5-83.4	7.3	4.4	9.9	34.5	1.6	2.4	3.1	2.9	5.6
83.5-84.4	1.0	0.4	0.9	8.3	0.1	0.2	0.1	0.2	0.5
84.5-85.4	*	*	*	2.2	*	*	*	*	*
85.5-86.4	-	-	*	0.8	-	*	-	-	*
86.5-87.4	-	-	-	0.1	-	-	-	-	-
87.5-88.4	-	-	-	-	-	-	-	-	-
88.5-89.4	-	-	-	-	-	-	-	-	-
89.5 & above	-	-	-	-	-	-	-	-	-
Average uniformity	80.8	80.7	81.3	82.3	80.3	80.2	80.7	80.2	80.7
TRASH 2/									
0.0	-	*	*	*	-	*	-	*	*
0.1	0.6	50.0	0.3	25.8	1.2	0.7	0.4	4.8	0.9
0.2	8.8	35.4	5.0	44.8	16.8	12.1	6.4	25.4	9.1
0.3	22.5	9.3	17.1	18.6	35.6	30.0	16.6	31.3	20.9
0.4	21.8	2.7	22.9	6.5	24.2	24.9	16.1	18.9	21.6
0.5	19.3	1.1	20.9	2.5	13.7	16.7	15.5	10.4	18.1
0.6	12.7	0.5	15.4	1.0	5.5	8.6	12.1	5.1	13.3
0.7	7.2	0.3	9.2	0.5	2.0	4.0	10.3	2.4	7.9
0.8	3.5	0.2	5.0	0.2	0.7	1.7	6.7	1.0	4.3
0.9	1.9	0.1	2.6	0.1	0.3	0.8	5.4	0.4	2.3
1.0	0.8	0.1	0.8	*	0.1	0.3	3.6	0.1	0.8
1.1	0.4	0.1	0.4	*	*	0.1	2.3	0.1	0.5
1.2	0.3	*	0.2	*	*	0.1	1.6	*	0.2
1.3	0.1	*	*	*	*	*	1.0	*	*
1.4	0.1	*	*	*	*	*	0.8	*	*
1.5	*	*	*	*	*	*	0.4	*	*
1.6	*	*	*	*	-	*	0.3	*	*
1.7	*	*	*	*	-	*	0.2	*	*
1.8 & above	*	*	*	*	-	*	0.3	*	*
Average trash	0.46	0.18	0.50	0.22	0.36	0.40	0.58	0.34	0.47

1/ A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 2/ A measure of the percent of the sample surface covered by trash particles as measured by a video scanner; 1.2 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. * Less than 0.05 percent.

Table 21. -- Percentage distribution of uniformity and trash for upland cotton classed through December 30, 2005

UNIFORMITY AND TRASH	MISSOURI	NEW MEXICO	NORTH CAROLINA	OKLAHOMA	SOUTH CAROLINA	TENNESSEE	TEXAS	VIRGINIA	UNITED STATES
UNIFORMITY 1/									
72.4 & below	*	-	-	-	-	-	*	-	*
72.5-73.4	*	-	-	-	-	-	*	-	*
73.5-74.4	*	*	-	-	-	-	*	-	*
74.5-75.4	*	*	*	*	*	*	*	-	*
75.5-76.4	*	0.1	*	*	*	*	0.2	-	0.1
76.5-77.4	*	1.2	*	0.3	0.1	*	1.4	*	0.5
77.5-78.4	0.2	5.1	0.6	2.2	1.7	0.6	5.7	*	3.1
78.5-79.4	1.3	17.8	3.8	9.8	11.3	3.7	16.2	0.5	11.8
79.5-80.4	7.8	31.0	13.8	26.2	30.4	14.7	29.3	3.4	24.1
80.5-81.4	25.4	28.2	30.8	34.6	31.7	32.7	29.4	17.3	28.4
81.5-82.4	41.8	12.6	34.4	20.9	18.0	33.9	14.4	39.5	22.4
82.5-83.4	21.2	3.4	14.4	5.4	6.1	12.9	3.1	30.7	8.3
83.5-84.4	2.3	0.6	2.1	0.5	0.8	1.5	0.3	8.3	1.2
84.5-85.4	0.1	*	*	*	*	*	*	0.3	0.1
85.5-86.4	*	-	*	-	-	*	*	-	*
86.5-87.4	-	-	*	-	-	-	*	-	*
87.5-88.4	-	-	-	-	-	-	-	-	-
88.5-89.4	-	-	-	-	-	-	-	-	-
89.5 & above	-	-	-	-	-	-	-	-	-
Average uniformity	81.8	80.3	81.5	80.8	80.7	81.4	80.4	82.2	80.8
TRASH 2/									
0.0	*	*	-	*	*	*	*	-	*
0.1	0.8	48.3	*	21.5	0.1	0.9	13.6	*	7.4
0.2	10.0	35.3	1.1	35.7	3.7	9.4	31.7	1.5	18.7
0.3	24.5	10.9	8.5	22.2	17.7	22.0	24.2	10.4	22.0
0.4	26.2	3.5	17.4	9.2	23.0	24.6	13.0	19.1	18.1
0.5	19.0	1.3	22.7	5.3	22.1	19.2	7.6	24.2	13.9
0.6	11.1	0.4	19.7	2.7	15.2	12.1	4.2	19.9	9.1
0.7	5.0	0.2	13.8	1.6	9.0	6.4	2.4	12.9	5.3
0.8	2.1	0.1	7.6	0.7	4.4	3.0	1.3	6.3	2.7
0.9	0.8	*	4.5	0.5	2.5	1.5	0.8	3.4	1.5
1.0	0.2	*	2.0	0.2	1.0	0.4	0.5	1.3	0.6
1.1	0.1	*	1.2	0.1	0.6	0.2	0.3	0.6	0.3
1.2	*	-	0.7	0.1	0.3	0.1	0.2	0.3	0.2
1.3	*	-	0.3	*	0.1	*	0.1	0.1	0.1
1.4	*	-	0.2	*	0.1	*	*	*	*
1.5	*	-	0.1	*	0.1	*	*	*	*
1.6	*	-	0.1	*	*	*	*	*	*
1.7	*	-	*	*	*	*	*	*	*
1.8 & above	*	-	0.1	*	*	*	*	*	*
Average trash	0.42	0.18	0.58	0.27	0.50	0.44	0.31	0.55	0.39

1/ A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 2/ A measure of the percent of the sample surface covered by trash particles as measured by a video scanner; 1.2 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark etc. * Less than 0.05 percent.

Table 22. -- Quality of American Pima cotton classed for producers by State and United States through December 30, 2005


Quality Designation	Leaf	Arizona	California	New Mexico	Texas	United States
01	1	2.5	8.9	1.6	0.5	8.1
	2	10.9	5.3	3.2	0.9	5.0
	3	-	*	*	-	*
	4	-	-	-	-	-
	5	-	-	-	-	-
	6	-	-	-	-	-
	7	-	-	-	-	-
Total		13.3	14.2	4.9	1.4	13.1
02	1	2.9	8.4	5.1	5.7	8.1
	2	66.3	53.9	68.3	83.5	56.2
	3	12.8	11.0	18.2	4.6	10.8
	4	0.3	0.7	1.4	*	0.7
	5	-	*	-	*	*
	6	-	-	-	-	-
	7	-	-	-	-	-
Total		82.3	74.1	92.8	93.8	75.8
03	1	-	*	*	0.2	*
	2	1.5	2.5	0.4	2.8	2.5
	3	2.1	5.0	1.0	1.6	4.6
	4	0.5	2.2	0.9	0.1	2.0
	5	-	0.3	-	-	0.3
	6	-	*	-	-	*
	7	-	-	-	-	-
Total		4.1	10.0	2.2	4.7	9.4
04	1	-	*	-	*	*
	2	0.1	0.1	-	*	0.1
	3	0.1	0.5	*	*	0.4
	4	*	0.7	-	*	0.6
	5	0.1	0.2	-	-	0.2
	6	-	*	-	-	*
	7	-	-	-	-	-
Total		0.3	1.5	*	0.1	1.4
05	1	-	*	-	-	*
	2	-	*	*	-	*
	3	-	*	-	-	*
	4	*	0.1	-	-	0.1
	5	*	*	-	-	*
	6	-	*	-	-	*
	7	-	-	-	-	-
Total		0.1	0.2	*	-	0.2
06	1	-	-	-	-	-
	2	-	*	-	-	*
	3	-	*	-	-	*
	4	-	*	-	-	*
	5	-	*	-	-	*
	6	-	*	-	-	*
	7	-	*	-	-	*
Total		-	*	-	-	*
07	1	-	-	-	-	-
	2	-	*	-	-	*
	3	-	*	-	-	*
	4	-	*	-	-	*
	5	-	-	-	-	-
	6	-	-	-	-	-
	7	-	*	-	-	*
Total		-	*	-	-	*
STAPLE		-	-	-	-	-
40 & shorter		-	*	-	-	*
42		-	*	-	0.1	*
44		16.5	1.4	4.6	13.6	2.4
46		31.0	19.5	54.2	64.3	23.2
48 & longer		52.5	79.1	41.1	22.0	74.3
Average		46.8	47.8	46.7	46.2	47.7
UNIFORMITY		-	-	-	-	-
72.4 & below		-	-	-	-	-
72.5-73.4		-	-	-	-	-
73.5-74.4		-	-	-	-	-
74.5-75.4		-	-	-	-	-
75.5-76.4		-	-	-	-	-
76.5-77.4		-	-	-	-	-
77.5-78.4		-	-	-	-	-
78.5-79.4		-	-	-	-	-
79.5-80.4		-	*	-	*	*
80.5-81.4		0.2	0.2	0.1	*	0.2
81.5-82.4		1.3	1.0	1.0	0.6	1.0
82.5-83.4		6.8	3.6	6.7	5.8	3.8
83.5-84.4		16.6	9.7	22.2	25.9	11.1
84.5-85.4		29.6	29.6	36.3	38.4	30.3
85.5-86.4		24.8	41.3	25.8	23.3	39.7
86.5-87.4		16.3	12.5	7.3	5.6	12.0
87.5-88.4		4.2	1.8	0.6	0.4	1.7
88.5-89.4		0.3	0.1	-	-	0.1
89.5 & above		-	*	-	-	*
Average		85.4	85.5	85.0	85.0	85.5
BALES CLASSED		3,783	373,718	9,320	26,447	413,268

* Less than 0.05 percent.

Table 22. - Quality of American Pima cotton classed for producers by State and United States through
December 30, 2005

Quality Designation	Arizona	California	New Mexico	Texas	United States
MIKE					
24 & below	-	*	-	-	*
25 - 26	-	0.1	-	-	0.1
27 - 29	-	1.4	0.6	*	1.2
30 - 32	-	2.9	3.0	0.3	2.7
33 - 34	0.5	2.2	3.8	0.6	2.1
35 - 36	1.9	4.4	8.3	2.3	4.4
37 - 42	74.1	72.1	52.1	60.4	70.9
43 - 49	23.6	16.9	32.3	36.3	18.5
50 - 52	-	-	-	-	-
53 & above	-	-	-	-	-
Average	41	40	40	42	40
ALL MIKE					
24 & below	-	*	-	-	*
25	-	*	-	-	*
26	-	0.1	-	-	0.1
27	-	0.2	0.1	*	0.2
28	-	0.4	0.3	*	0.4
29	-	0.7	0.2	*	0.7
30	-	0.9	0.5	*	0.8
31	-	1.0	1.2	0.1	1.0
32	-	1.0	1.2	0.2	0.9
33	*	1.0	1.5	0.3	0.9
34	0.4	1.2	2.2	0.3	1.2
35	0.5	1.7	3.4	0.7	1.7
36	1.4	2.7	4.8	1.7	2.7
37	3.3	4.8	6.2	3.4	4.7
38	4.8	8.7	7.0	6.6	8.5
39	12.4	13.2	7.0	9.1	12.8
40	17.2	15.7	8.4	13.1	15.4
41	16.5	15.5	11.3	15.0	15.4
42	19.9	14.2	12.1	13.3	14.2
43	15.0	9.9	10.9	11.2	10.1
44	6.7	4.7	8.4	8.8	5.1
45	1.6	1.8	6.5	7.0	2.2
46	0.2	0.4	4.0	5.2	0.8
47	0.1	0.1	1.7	2.7	0.3
48	*	*	0.6	1.2	0.1
49	-	*	0.1	0.3	*
50	-	-	-	-	-
51	-	-	-	-	-
52	-	-	-	-	-
53	-	-	-	-	-
54	-	-	-	-	-
55	-	-	-	-	-
56	-	-	-	-	-
57	-	-	-	-	-
58	-	-	-	-	-
59	-	-	-	-	-
60 & above	-	-	-	-	-
Average	41	40	40	42	40
Strength					
17 & below	-	-	-	-	-
18	-	-	-	-	-
19	-	-	-	-	-
20	-	-	-	-	-
21	-	-	-	-	-
22	-	-	-	-	-
23	-	-	-	-	-
24	-	-	-	-	-
25	-	-	-	-	-
26	-	-	-	-	-
27	-	-	-	-	-
28	-	*	-	-	*
29	-	*	-	-	*
30	-	*	-	-	*
31	-	0.1	0.3	*	0.1
32	*	0.1	0.7	0.1	0.2
33	0.1	0.3	1.0	0.5	0.3
34	0.4	0.7	1.6	0.9	0.8
35	1.2	1.5	3.2	2.6	1.6
36	4.0	2.4	6.1	7.0	2.8
37	8.6	3.4	10.5	13.4	4.2
38	13.5	5.7	15.9	18.0	6.8
39	17.5	10.8	16.7	20.0	11.6
40	19.2	17.5	15.7	16.4	17.4
41	16.8	20.7	11.6	10.4	19.8
42	10.0	17.0	8.0	5.9	16.1
43	5.3	10.5	4.6	2.8	9.8
44	2.3	5.5	2.5	1.3	5.1
45 & above	1.1	3.6	1.5	0.6	3.4
Average	39.7	40.7	39.1	38.9	40.5
EXTRANEIOUS MATTER					
Bark	0.2	0.6	*	0.1	0.5
Grass	*	0.2	0.2	0.5	0.2
Spindle Twist	0.1	0.2	-	-	0.2
Preparation	-	1.0	-	*	0.9

* Less than 0.05 percent.



1022651241